Distance and direction from nearest town or city street address of well if located within city?  Just East of the intersection of 3rd Avenue and Lorraine Avenue, Hutchinson, Kansas  WATER WELL OWNER: Lower Corporation	
Distance and direction from nearest town or city street address of well if located within city?  Just East of the intersection of 3rd Avenue and Lorraine Avenue, Hutchinson, Kansas  WATER WELL OWNER: Lowen Corporation	Range Number
Just East of the intersection of 3rd Avenue and Lorraine Avenue, Hutchinson, Kansas  2 WATER WELL OWNER: Lowen Corporation	S R 5 EW)
2 WATER WELL OWNER: Lowen Corporation	
DD# O/ A 11 D. #. DO D	
RR#, St. Address, Box #: PO Box 1528 Board of Agriculture, Di	ivision of Water Resources
City, State, ZIP Code : Hutchinson, KS 67504-1528 Application Number:	
AN "X" IN SECTION BOX Depth(s) Groundwater Encountered 113 ft. 2 ft.	
N WELL'S STATIC WATER LEVEL ft. below land surface measured on r	
Pump test data: Well water wasft. after hour	
NWNE Est. Yield: gpm: Well water wasft. after hours	pumping gpm
Bore Hole Diameter3.5in. to25 ft., and in. to.	
W E WELL WATER TO BE USED AS: 5 Public Water supply 8 Air conditionin	ng 11 Injection well
	12 Other (specify below)
-SWSE 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes	Nox If yes, mo/day/yr
S sample was submitted	? Yes Nox
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING	JOINTS: GluedClamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)	Welded
②PVC 4 ABS 7 Fiberglass	Threadedx
Blank casing diameter1 in. to10 ft., Dia in. to ft., Dia ft.	
Casing height above land surface0 in., weight lbs./ft., Wall thickness or gauge No	SCH 40
TYPE OF SCREEN OR PERFORATION MATERIAL: (7)PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel Concrete tile 9 ABS 12 None used (open ho	ole)
•	(open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN PERFORATED INTERVALS: From10ft. to25 ft., Fromft. to	•
From	•
GRAVEL PACK INTERVALS: From9ft. to25 ft., Fromft. to	i i
ft. toft., Fromft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	i
Grout Intervals: From0ft. to9 ft., From ft. To ft., From ft. to	ft.
,	doned water well
· · · · · · · · · · · · · · · · · · ·	ell/Gas well
	(specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? How many feet?	
FROM TO LITHOLOGIC LOG FROM TO PL	UGGING INTERVALS
0 4 sandy clay to clayey sand	
4 6 brown clay w/ trace of sand	
6 7.5 brown sandy silt to silt	
7.5 12 brown fine sand	
12 25 fine to very coarse sand w/ some gravel	
	44-
LFMW-	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or	r (3) plugged under my
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or jurisdiction and was completed on (mo/day/year)1-6-09	r (3) plugged under my dge and belief.
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or jurisdiction and was completed on (mo/day/year)1-6-09	r (3) plugged under my dge and belief.
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or jurisdiction and was completed on (mo/day/year)1-6-09	r (3) plugged under my dge and belief. 4/09
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or jurisdiction and was completed on (mo/day/year)1-6-09	r (3) plugged under my dge and belief. 4/09 rde the correct answers.