WATER WELL RECORD		Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction	41/ 4 p pm-1	Secti		Township No.		
County: Reno Street/Rural Address of Well Location;					Clobal Positioning System (CPS) is 6			
					Global Positioning System (GPS) information: Latitude:			
from nearest town or intersection: If at owner's address, check here \(\subseteq.\).					Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Scatt Hasten					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: RR#, Street Address, Box #: 1000 E 275				Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code			$\mid \; \exists \;$	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Hutch, KS 67502				Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
	Depth(s) Groundwater Encountered (1)							
N N	WELL'S STATIC WATER LEVEL/3ft. below land surface measured on mo/day/yr72/-/o							
	Pump test data: Well water was							
NW I	EST. YIELDgpm. Well water was							
W E Bore Hole Diameter . X								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☑ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ▶ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORAT	ION OPENING	S ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. ft. from ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
₩ Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well								
FROM TO	LITHOLOG		FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 11 Br C	lay l + Grav	- /						
11 43 Sang	t + corac	<u>, e (</u>						
			† · · · · · · · · · · · · · · · · · · ·				P9.01/P0.11	
				WATER-1				
						77.00		
		W4.4-441-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-						
7 CONTRACTOR'S OR I	ANDOWNED	28 CEDTIFICATIO	Na This was	anall .	una Manata	unated III management		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, \Box reconstructed, or \Box plugged under my jurisdiction and was completed on (mo/day/year).								
Kansas Water Well Contractor's License No								
under my jurisdiction and was completed on (mo/day/year)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
(white, blue, pink) to Kansas Dep	partment of Health one copy to WAT	and Environment, Bureau ER WELL OWNER and i	of Water, Geol	ogy Section	on, 1000 SW Jac rds. Include fee	ckson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
KSA 82a-1212								