WATER WELL RECORD		Form WWC-5		Divis	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		Fraction		Section	Section Number Township No.			
County: Reno	145W45E		9 T 23 S R 5 □ E 🗷 W					
Street/Rural Address o			Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Robert Dwerlkotte					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 405 Du F			77,6		GPS unit (Make/Model:)			
City, State, ZIP Code	burry		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	HUT	z4, KS 675	-0/		Est. Accuracy:			
2 LOCATE WELL								
WITH AN "X" IN	IN 4 DEPTH OF COMPLETED WELL							
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
IN IN	WELL'S STATIC WATER LEVEL							
	ECT VIELD AND Well makes the first house anymore of the first house anymore in a							
NWNE								
W E	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Downsting Dendlet Dill field water symply Developing Dother (Specify below)								
Turisation								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other								
Casing diameter								
Casing height above land surface. 12. in., Weight 2.35. lbs./ft., Wall thickness or gauge No. 16.0								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 3.0. ft. to 4.0. ft., From ft. to ft.								
From								
From ft to ft From ft to ft.								
From								
Grout Intervals: From 2 ft. to 20 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft.								
What is the nearest source		-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
∑ Watertight sewer lines								
							ICCDIC DITERMALC	
FROM TO	LITHOLOG		FROM	TO	LITHU. LC	JG (cont.) or PLU	JGGING INTERVALS	
0 6 Br	Clay nd + Grav							
6 43 Sav	ed + Grav	e/				**-		
							· · · · · · · · · · · · · · · · · · ·	
			 					
7 CONTRACTOR'S OF	LANDOWNED	'S CERTIFICATIO	N. This was	ter well we	as M constr	ucted Treconstr	ncted or Diplogred	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of Miller Drilling by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
http://www.kaneks.gov/waterweit/index.ntml. KSA 82a-1212								
120/1 Opt 12/12								