WATER WELL RECORD	Form W	WC-5	Division of Wate	er Resources App. No).	
1 LOCATION OF WATER WELL:	Fraction 1 \ S	115	Section Number	Township No.	Range Number	
County: KOO	14) W14 70	2/4 10 0/4	Children in the control of the contr	T 23 S	R 5 □E W	
Street/Rural Address of Well Location; from nearest town or intersection: If at	Global Positioning					
nom hearest town of intersection. If at	Latitude: (in decimal degrees) Longitude: (in decimal degrees)					
			Elevation:			
2 WATER WELL OWNER: STR	1 Sancher	- \	Datum: WGS 8-Collection Method:	4, ☐ NAD 83, ☐	NAD 27	
RR#. Street Address. Box #: ***********************************	GPS unit (Make/Model:)					
RR#, Street Address, Box #: Dispose Brentwood City, State, ZIP Code HUFChinson, KS 67 502			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL	· ASON, LS	PINE	Est. Accuracy:	3 m, ∐ 3-5 m, ∐	5-15 m, ∐ >15 m	
WITH AN "X" IN 4 DEPTH OF	COMPLETED WEL	لــــــــــــــــــــــــــــــــــــ	ft.			
SECTION BOX: Depth(s) Groun	Depth(s) Groundwater Encountered WELL'S STATIC WATER LEVEL ft. (2)					
WELL'S STATIC WATER LEVEL						
ECT VIELD Anna Wall water was A char house number a						
W - NW NE - E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? Ves No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft., Diameter ft., Diameter ft., Diameter ft., Diameter ft., Weight in to ft., Wall thickness or gauge No.						
Casing diameter						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 2.2 ft. to 3.2 ft., From ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From. 1.5. ft. to						
From ft. to ft. From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From ft. to ft., From ft., Fr						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines						
FROM TO LITHOLOG	GIC LOG	FROM			GGING INTERVALS	
0 10 Black Sand	Clan.					
10 15 Black Cours		1				
15 32 Pla Bire	tann,					
)					
		-				
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATIO	N. This water	er well was Constr	nicted reconstri	icted or ningged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year) 1.1.3						
under the business name of N. S.						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WA http://www.kdheks.gov/waterwell/index.html.	TER WELL OWNER and	retain one for y	our records. Include fee	e of \$5.00 for each co	onstructed well. Visit us at	
KSA 82a-1212						