WATER WELL RECORD			Form W	WC-5	Division of Wa	ter Resources App. N	o. L	
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number		
County: Reno		14 NE 14 SW 14 SE 14		18		R 5 □E ØW		
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
			wner's address, check	Latitude: (in decimal degrees)				
						Longitude: (in decimal degrees)		
					Elevation:			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
			son Correctional Fac	cility	Collection Method			
RR#, Street Address, Box #: P.O. Box			x 1568		GPS unit (Make/Model:)			
City, State, ZIP Code : Hutchins			son, Kansas 67504		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
					Est. Accuracy:	<3 m, ∐ 3-5 m, ∐	5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 57								
SECTI	Depth(s) Groundwater Encountered (1)						3)II.	
	WELL'S STATIC WATER LEVEL							
Pump test data: Well water wasft. after hours pumping EST. YIELDgpm. Well water wasft. after								
	NE							
W Bore Hole Diameter 9.1/2 in. to .57								
WELL WATER TO BE USED AS: Public water supply Geothermal						eotnermal []	njection well	
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Was a chemical/bacteriological sample submitted to Department?							
١,,,	S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .6								
Casing height above land surface. 20 in., Weight 160 lbs/ft., Wall thickness or gauge No255								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From. 57 ft. to18 ft., From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other dirt								
Grout Intervals: From .18 ft. to .1 ft., From .1 ft. to .0 ft., From ft. to								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well North ☐ Distance from well .20.								
FROM	TO	LITHOLOG	IC LUG	FROM	TO LITHO. I	OG (cont.) or PLU	GGING INTERVALS	
0 2								
2 9				ļ				
9 5	7 Mediu	m sand and grave	9					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\propto \) reconstructed, or \(\propto \) plugged								
under my jurisdiction and was completed on (mo/day/year) .1.1-16-10 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .11-26-10.								
under the business name of Rosencrantz Bemis Ent. by (signature) Succession Dadaen								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include for of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Cheek: White Copy, Blue Copy, Pink Copy								