WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources App. N	0.	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number	
County: Reno	1/4 NW 1/4 NE 1/4 NW 1/4		T 23 S	R 5 DE W	
Street/Rural Address of Well Location; if from nearest town or intersection: If at of	Global Positionin	g System (GPS) ii 86	in decimal degrees)		
Former TPI # 9058		Longitude: W97.	Latitude: .N38.086 (in decimal degrees) Longitude: W97.91672 (in decimal degrees)		
7303 East 30th Avenue, Hutchinson, Kansas		Elevation: Unknown			
2 WATER WELL OWNER: MRP Properties, Inc.		Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 5590 Havana Street		GPS unit (Make/Model: Garmin Nuvi 760			
City, State, ZIP Code : Denver, CO 50938		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL, 29.50 ft.					
SECTION BOX: Depth(s) Groundwater Encountered (1).12.85					
POT VIELD M	FOT VIELD NA come Well water was NA & often NA hours numerica NA come				
W -NW - -NE - E E TELD JWAgpm. Well water was JWA					
WELL WATER TO BE USED AS:					
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well MW-10 Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted NA					
mile Water well disinfected? ☐ Yes ☑ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 4 in. to 9.50 ft., Diameter NA in. to NA ft., Diameter NA in. to NA ft.					
Casing height above land surface					
☐ Steel ☐ Stainless Steel					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From9.50 ft. to29.50 ft., From .NA ft. toNA ft.					
From NA ft. to NA ft., From NA ft. to NA ft. GRAVEL PACK INTERVALS: From Unknown ft. to Unknown ft., From NA ft. to NA ft.					
From NA ft. to NA ft., From NA ft. to NA ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
6 GROUT MATERIAL: Neat cement Cement grout Denoting Other Grout Intervals: From .0 ft. to .29.50 ft., From .NA ft. to .NA ft., From .NA ft. to .NA ft.					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Full Storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well No longer storing fuel ☐ Distance from well <100'					
FROM TO LITHOLOG				JGGING INTERVALS	
TROM TO ETHIOLOG	0		nd Grass Seed	COMO INTERVALO	
	8"	29.50 Bentonite			
		Top 5-fee	overdrilled		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☑ plugged under my jurisdiction and was completed on (mo/day/year) .11:19:10 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on mo/day/year 12-12-10					
under the business name of RAZEK Environmental LLC by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212		Check: W	пие Сору, 🔲 ВІ	ue Copy, Pink Copy	