WATER WELL RECORD	Form WV	VC-5	Division of Water	r Resources App. No).	
1 LOCATION OF WATER WELL:	Fraction	17 \$1587 17	Section Number	Township No.	Range Number	
County: RENO Street/Rural Address of Well Location;	funknown distance &		5 Clobal Positioning	System (GPS) in	R 5 E VW	
from nearest town or intersection: If at	Global Positioning System (GPS) information: Latitude:					
2309 N. WALDRON			Longitude: (in decimal degrees)			
HUTCHINSON,KS 67502			Elevation:			
2 WATER WELL OWNER: CRAIG BARKLEY PLUMBING			Collection Method:			
RR#, Street Address, Box #: 938 COREY			GPS unit (Make/Model:)			
City, State, ZIP Code : HUTCHINSON, KS 67501			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL		40		Land Land		
WITH AN "X" IN SECTION BOX: Depth(s) Ground						
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 16ft. below land surface measured on mo/day/yr. 4-3-11					
Pump	Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD	EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
W Bore Hole Diameter						
-SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoning well						
Was a chemical/bacteriological sample submitted to Department?						
S If yes, mo/day/yr sample was submitted						
water with districted by 1 cs. [1] No.						
5 TYPE OF CASING USED: Steel PVC Other Other CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .6						
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No						
TYPE OF SCREEN OR PERFORATION Steel Stainless Steel		m	Other (Specify)			
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 12 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft.						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well NORTH			from well50.F.T		LOCAL CAN PRINT LATE	
FROM TO LITHOLOG	ilC LOG	FROM 16			JGGING INTERVALS	
		10 1) BEINTOINI	I C		

			``			
				· parent		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) .4-3-11						
Kansas Water Well Contractor's License No. 440 This Water Well Record was completed on (mo/day/year) 4-5-11						
under the business name of CARL VINCENT SERVICE by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						