WATE.	R WEI	LL RECORD	Form W	WC-5	Division of Wate	er Resources App. N	47,588
		OF WATER WELL:	Fraction	WC-3	Section Number	Township No.	Range Number
			14 NC 1/4 SW	1 1/4 1/4		T 23 S	R 5 DE W
County: Reno							
				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
Fro	m inters	ection of E Illinois Ave a					
Go 1/4 mi north on Obee Rd +1/4 mi east Well * /					Elevation:		
2 WATER WELL OWNER: Matt Brack					Datum: WGS 84, NAD 83, NAD 27		
That Brook					Collection Method:		
City State ZID Code					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code : Hutchinson, KS 67501					Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m		
3 LOCATE WELL							
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 30 ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1).8 ft. (2) ft. (3) ft.							
SECTION BOX: Depth(s) Groundwater Encountered (1).8							
Pump test data: Well water was							
ECT VIELD 900 and Wall and a second s							
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							фиід gpiii
W							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Industrial Domestic-lawn & garden Monitoring well							
[☑ Irrigation					• • • • • • • • • • • • • • • • • • • •
			bacteriological sample			Yes V No	
S If yes, mo/day/yr sample was submitted							
	1 mne	Water well disin	fected? ✓ Yes ☐	No			
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .16 in. to .20 ft., Diameter ft., Diameter ft.							
Casing height above land surface. 12							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel ✓ PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft., ft., From ft., to ft.							
GRAVEL PACK INTERVALS: From. 20 ft. to30 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
	ntervals:	From .3 ft. to	20 f From	benton	ft to f	From	ft to ft
				1	11. 10 11.,	F10111	11. 10
What is the nearest source of possible contamination: Septic tank							
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Sewer lines							
		**		_	from well	45 ******	
FROM	TO	LITHOLOG		FROM			GGING INTERVALS
0	3	Top Soil	1000	INOIVI	LITTO, D	oo (cont.) of FLC	COLLO HALFICANES
3	8			 			
		Fine Sand		 			
8	30	Gravel		-			9.00
30		Clay					
		W	****				
							WE 1.1.7
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .4/1/11							
Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) 4/11/11							
under the business name of Premier Pump and Well Service, Inc. by (signature) . I allege							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							