WATER WEI	LL RECORD	Form WV	VC-5	Division of Wate	er Resources App. N	0.	
1 LOCATION	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Ren	0	1/4 N E 1/4 N E	1/4 NE 1/4	35	T 23 S	R 5 □E X XW	
Street/Rural A	Address of Well Location;	if unknown, distance &	Global Positioning	g System (GPS) in	nformation:		
from nearest	town or intersection: If at	owner's address, check	Latitude: (in decimal degrees)				
3 miles East & 2 miles South of Hutchinson				Longitude: (in decimal degrees)			
			Elevation:				
2 WATER WELL OWNER: Tom Beal				Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 3319 S. Mayfield				GPS unit (Make/Model:)			
City, State, ZIP Code : Hutchinson, KS67501				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
, ,	nacc	TITIBOT, TOO 7501		Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
WITH AN "X						(2)	
SECTION BO							
	WELL SSTATIC WATER LEVEL STATIC Octow land surface measured on mordayy markets.						
TOT YYEY D 400 W 11							
[- NW - 1 - NE - 1]							
W E Bore Hole Diameter9							
Demostic Description Definition of the Devictoring Detection (Specific below)							
SW SE							
Was a chemical/bacteriological sample submitted to Department? Yes XX No							
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected? ▼ Yes □ No							
5 TYPE OF CASING USED: Steel XX PVC Other							
CASING JOINTS: X Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel YC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☒ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 30 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☑ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well 150							
	m well			from well 150			
FROM TO	LITHOLOG	FIC LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 3	Topsoil						
3 7	Clay, tan				was war was para a re-		
7 20	Sand w/med. clay						
20 35	Sand, medium coa	arse					
					·-		
M CONTINUE & COL	ODIC OD I ANDOMINI	Dic Chorinia into	J. This is t	an vival 1 viva 157 : /	myotod []	mustad on Dahasaad	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, r							
Kansas Water Well Contractor's License No							
under the business name of Peterson Irrigation, Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212							
INDA 040-1414							