WATER WELL RECORD		Form WWC-5		D	ivision of Wate	r Resources App. N	o. L	
1 LOCATION OF WATER WELL: County:		Fraction 5 & N	F14NE1/		on Number		Range Number R DE W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:								
from nearest town or in					(in decimal degrees)			
					Longitude: (in decimal degrees)			
1.0					ation:			
2 WATER WELL OWNER: Michael Start S RR#, Street Address, Box #: 130 6 8 26 7 10 Code					<u>m</u> : 🔲 WGS 84	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: 111 Charles Tolve					ction Method:			
RR#, Street Address, Box #: 1336 E 261)	
City, State, ZIP Code Hutchin Son, XS 67502					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL			الما	<u> </u>	_			
WITH AN "X" IN	4 DEPTH OF C	COMPLETED WEL	L		ft.			
SECTION BOX:	Depth(s) Groundwater Encountered (1)							
N	WELL'S STATIC WATER LEVEL							
Pump test data: Well water wastt. arter nours pumping								
W -NW - NE EST. YIELD							ping gpm	
W E Bore Hole Diameter							.ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
water well disinfected: 21 Tes 110								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Diglued Clamped Welded Threaded Casing diameter fine to								
Casing diameter								
Casing height above land surface in., Weight L. L. lbs./ft., Wall thickness or gauge No. 1.60.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.								
From ft. to ft. From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well					ell HO		***************************************	
FROM TO .	LITHOLOG		FROM	TO	T		IGGING INTERVALS	
O 6 Blace	k Clay	ic Loo	TROM	10	LITTO. EC	70 (cont.) <u>or</u> 1 E0	GOING INTERVALS	
1 2 0	22 CO	derDict			-			
13 17 8:14		G C 15111						
	7 2528-01	(1,10)	1					
1190 PC	1 21 12 y 1	400/						
				.,				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No Sharm Water Well Record was completed on (mo/day/year)								
under the business name of	of Lailson	La ctur Ca	Stems	bv 6	signature)	Saint (minor day , year)		
under the business name of Landson Landson Sandson San								
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geol	ogy Secti	on, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Sen		ER WELL OWNER and	retain one for	your reco	rds. Include fee	of \$5.00 for each c	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								