WAIL	K WĿI	LL RECORD	rorm w	W C-3	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: Fraction			Fraction		Section Number Township No. Range Number
County: Reno		SE 1/4 NW 1/4 NW	/ 1/4 SW 1/4	17 T 23 S R 5 □E 🗗 W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here \(\mathbb{Z}\). Latitude: 38.04896. (in decimal degr					
	, , , , , , , , , , , , , , , , , , , ,				Longitude: 097.90193 (in decimal degrees)
					Elevation:
				<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27	
2 WATER WELL OWNER: Victor Curtis					Collection Method:
RR#, Street Address, Box #: 1516 Carev Blvd.				GPS unit (Make/Model: Garmin csx	
City, State, ZIP Code : Hutchinson, Kansas 67501				Digital Map/Photo, Z Topographic Map, Land Survey	
					Est. Accuracy:
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.					
SECTION BOX: Depth(s) Groundwater Encountered (1)					ft. (2) ft. (3) ft.
N WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr. 9-6-2012					
Pump test data: Well water wasft. after hours pumping					
N				ft. after hours pumping gpm	
w	W				
	WELL WATER TO BE USED AS: ☐ Public water				
Swar Second Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
		│			wn & garden Monitoring well
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
s If yes, mo/day/yr sample was submitted					
	1 mile	Water well disin	fected? 🔽 Yes 🔲	No	
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .5 in. to .30 ft., Diameter in. to					
				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ios./it., wan thickness of gauge No4.17
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From30 ft. to40 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From40 ft. to17 ft., From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other					
Grout Intervals: From .17					
-10412		est source of possible conta	mination		it. toit., 110iiiit. toit.
What is the nearest source of possible contamination: Septic tank					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Qas line ☐					
Direction from well NW Distance from well .100'					
FROM	ТО	LITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	3	Top soil			The second secon
3	7	Brown clay	·····		
7	19	Small to fine sand			
19	40	Medium to small sand			
19	70	WEGIUITI TO STRAIL SATIO	····		
				 	
ļ					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) 9-6-2012 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 9-13-2012.					
under the business name of Rosencrantz-Bemis Ent. by (signature) Dulium Dulium					
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html. KSA 820 1212 Check: [7] White Conv. [7] Pirek Conv.					
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy					