				WATER V	VELL REC	CORD For	m WWC-5	KSA	82a-1	212 K	) No				
1 LOCATIO	N OF WATER	R WELL:	Fraction				Sec	ction Nu	mber	To	wnship Nu	mber	Rar	nge Numb	er
County:		eno			SW		14	16		Т.	23	S	R	5	W
	direction from														
	560' E of i							son							
	WELL OWNE				i, væm	ıranspo	rt, inc.			_				=	
RR#, St. Add	dress, Box#	: 2/01 I	ingon K	). C 6750	14						rd of Agric		/ision of W	later Reso	urces
City, State, Z	IP Code	HUTCH :	mison, K	o 0/5L	, i			·		App	lication Nu	mber:			
3 AN "X" IN	WELL'S LOC SECTION BO	OX:	<sup>4</sup> DEPTH	OF COM	<b>IPLETED</b>	WELL	2	<b>5</b> ft.	ELE	/ATION:		151	9.17 (T	OC)	
<b>₹</b> Γ		į	Depth(s) G	iroundwat	ter Encou	ntered 1	1	3	ft	. 2		ft.	3		ft.
	NW	NE	WELL'S ST	TATIC W	ATER LE	VEL	fl	. below	land s	urface n	neasured o	n mo/day	//yr		
		x		Pump te	st data:	Well water	was		1	t. after		hours	pumping		gpm
≝ w <b></b>		┿┩╒	Est. Yield		apm:	Well water	was		f	t. after		hours	pumpina		apm
ī			Bore Hole	Diameter	8.2	<b>5</b> in. to	2	5		ft. and		i	n. to		ft.
	- sw	SE	WELL WA	TER TO E	BE USED	<b>5</b> in to AS: 5 Pu ot 6 Oi	blic water	supply		8 A	ir condition	ning	11 Injectio	on well	alow)
1		į											12 Otner	(Specily b	eiow)
<b>'</b>	S		1			nial 7 La	_								
	•			mical/bac	teriologic	al sample su	ubmitted to	Departr							was
			submitted								Disinfecte				
	BLANK CAS				_	ht Iron					SING JOIN			Clamped	¹
1 Ste		3 RMP		€	6 Asbest	tos-Cement	9 Othe	r (specif	y belo	w)		Wel			
2 PVC		4 ABS		7	7 Fiberg	lass					<b>L</b>	Threa	aded	Flust	
Blank casing	diameter	2	in. to	6	ft., Di	ia	in.	to		ft., Di	a		in. to		ft.
Casing heigh	ht above land	surface	38	in.,	, weight	0	.703	- 1	bs./ft.	Wall thi	ckness or	gauge No	).	SCH. 40	)
	CREEN OR P							PVC			10 Asbe	stos-cem	ent		}
1 Stee	ei	3 Stain	less steel		5 Fiberg	lass	8	RMP	(SR)		11 Othe	r (specify	)		
2 Bras			anized steel	•	6 Concre		9	ABS			12 None	used (or	oen hole)		
	R PERFORAT	_			····	5 Gauze	• •				w cut		11 Nor	ne (open h	ole)
	ntinuous slot		Mill slot			l .	• •				illed holes				
	vered shutter		Key punch			7 Torch				10 Ot	her (speci	fy)			
SCREEN-PE	ERFORATED	INTERVALS				ft. to									
			From	<u>-</u>		ft. to									
GRA	AVEL PACK II	NTERVALS:				ft. to									
- 1						ft. to							to		ft.
	MATERIAL:		cement				3 Be	ntonite	Ī	4 Othe	er				
Grout Interva	als From	0.5	_ ft. to	5	ft. From	n	ft.						ft. to		ft.
What is the I	nearest source	e of possible	contamination	on:				10	Lives	tock per	ıs	14 A	bandoned	water wel	ı
	otic tank									•					
	ver lines	U	5 Cess p			8 Sewage	_			izer stor	•	16 O	tner (spec	ify below)	
	tertight sewer	ıınes	6 Seepa	ge pit	,	9 Feedyard	1			ticide st	orage			· <b></b>	
Direction fro FROM	m well?	CODE	1 :	ITHOLOG	SIC I OG		FROM		many O	feet?	D1 1	IGGING	INTERVA	ıs	
0	3		lay, mediu				FRON	+-'	<del>-</del>		FLL	JadiiNG	HANELVA		
3	4.5		ilt, tan, cla		., ~ <b>,</b>										
			and, light		gray, fi	ne to	T								
4.5	25	m	edium grair	ned											
		<b></b>					-	-							
							+	+							
							+	+							
		<del>  -</del>					+	+		Surve	y: NAD	83. SP	C 1502	KS sou	th
	Northing: 1818040.														
								ng: 149							
7 CONTRA	ACTOR'S OR	LANDOWN	ER'S CERTIF	FICATION	N: This wa	ater well was	(1) constr	ucted, (	2) rec	onstructe	d, or (3) pli	ugged un	der my juri	sdiction an	d was
completed of	on (mo/day/yr)			10/01/	12		and	this reco	ord is	true to th	e best of n	ny knowle	edge and I	belief. Kar	nsas
Water Well	Contractor's L	icense No.			531		This								
	usiness name		GSI		eering,	LLC	اا	by (signa	ature)		1	16	, , , ,		
INSTRU	UCTIONS:. Ple	ease fill in blar	nks and circle	the correct	answers.	Send three o	opies to Ka	nsas Dep	partme	nt of Hea	Ith and Envi	roment, l	Bureau of V	Vater, 1000	SW
Jackson	n St., Ste. 420,	Topeka, Kans	sas 66612-136	37. Teleph	none: 913-	-296-5545. S	end one to \	WATER	WELL	OWNER	and retain o	one for you	r records.		