WATER WELL RECORD	Form WWC-5	KSA 82a-1212	ID No.

1 LOCATIO	N OF WATER WELL:	Fraction)			Section Number	er Townsh	p Number	Range Nur	nber
County:			14 SW		14	16	т 2	3 s	R 5	w
	d direction from neares									
	1420' E, 490' S of i						on			
	WELLOWNER: Gro			&M Transp	ort, in	C.				
RR#, St. Add	dress, Box # : 270	1 E. 4" Ave). 				Board of A	Agriculture, Div	ision of Water Re	esources
City, State, 2	ZIP Code : Hut	chinson, K	S 67501				Applicatio	n Number:		
3 LOCATE	WELL'S LOCATON W I SECTION BOX:	TIH 4 DEPTH	OF COMPLE	TED WELL		19 # FI	EVATION:	1518	3.84 (TOC)	
┰ /^`` ̂ -` '	TOLOTICITOCX.	Denth(s) G	roundwater F	ncountered	1	10	ft 2		3	2 ا ہے۔۔۔۔۔
		WELL'S S	TATIC WATE	R I FVFI	11.1	ft helow lend	i surface messu	red on moldow	yr 05/30	/12 ft.
	- NW NE	WEELS S				-		-	oumping	(COM)
ig w L		E Fet Viold	. unip test de	om: Wall wate	er was		ft after	houre r	oumping	gpm 6
7		Pore Hele	Diameter	8 25 in to		20	64 and	:		· gp''' <u>'</u>
	swse	WELL WA	TER TO BE U	ISED AS: 5 I	ublic wa	ter supply	8 Air con	ditioning 1	Injection well Other (Specify)	····· £
		1 Doi	mestic 3 Fo	eed lot 6	Oil field w	ater supply	9 Dewate	ring 1.	2 Other (Specify	/ below)
* L		2 Irrig	gation 4 In	ndustrial 7 l	_awn and	garden (domes	stic) 10 Monit			I
	S	Was a che	mical/bacterio	ological sample	submitte	d to Departmen	t? Yes N	o X If yes	, mo/day/yr sam	ole was
		submitted					Vater Well Disim			. 1
5 TYPE OF	BLANK CASING USE	D:	5 W	rought Iron	8 C	oncrete tile	CASING	JOINTS: Glue	d Clarni	ped
 1 Ste	_	MP (SR)		sbestos-Cerner		ther (specify be		Weld		
2 PV	C 4 AI	BS	7 F	iberglass			<u> </u>	Threa	ded Flu	sh
-	g diameter 2	- -		-			ft Dia		in to	
Casing beig	ht above land surface	30	in wei	oht	0.703	lhe /i	ft Wall thicknes	s or gauge No	SCH	40
	CREEN OR PERFORA			a,		7 PVC	10	S of gauge 140. Asbestos-ceme		- : -
1 Ste		tainless steel		iberglass						
2 Bra		alvanized steel		oncrete tile		9 ABS	12	None used (op	en hole)	
SCREEN O	R PERFORATION OPE	ENINGS ARE:		5 Gau	zed wrap	ped	8 Saw cut		11 None (oper	n hole)
1 Cor	ntinuous slot	3 Mill slot		6 Wire	wrapped	1	9 Drilled h			
2 Lou	vered shutter	4 Key punche		7 Tord			10 Other (s	pecify)		
SCREEN-PI	ERFORATED INTERV	ALS: From	9	ft. to	1	9 ft.	From	ft. 1	to	ft.
		From		ft. to		ft.	From	ft. 1	to	ft.
GR/	AVEL PACK INTERVAL	LS: From	5.5	ft. to	2	0 ft.	From	ft. 1	to	ft.
				ft. to		ft.	From	ft. 1	to	ft.
		leat cement		nt grout	3	Bentonite	4 Other		ft to	
Grout Interv	als From 0.5	ft. to	5.5 ft.	From		ft. to	ft. Fro	m	ft. to	ft.
What is the	nearest source of poss	ible contamination	on:				estock pens		andoned water v	
1 Sep	otic tank	4 Lateral		7 Pit priv			el storage		well/ Gas well	
								16 Ot	her (specify belo	w)
	tertight sewer lines	6 Seepa	ge pit	9 Feedya	ard		ecticide storage			<i>.</i>
Direction fro		1	ITUOLOGIC:			How ma	ny feet?	DI LIGORNO ::	ATTENIA : O	
FROM 0	TO CODE	Silty Clay,	ITHOLOGIC L	_06	FH	OM TO		PLUGGING II	NIEHVALS	
		Sand, well s		o brown, fine						
2	10	grained		,						
		Sand, poorl	y sorted, fin	e to coarse						
10	20	grained, som	e gravel bel	ow 15'						
					—		Survey: N	AD83. SPO	C 1502 KS s	outh
Northing: 1						-				
								492681.69		
7 CONTRA	ACTOR'S OR LANDOV			his water well w	as (1) co	nstructed , (2) re	constructed, or (3) plugged und	er my jurisdiction	and was
completed of	on (mo/day/yr)		10/01/12		a	nd this record is	s true to the bes	of my knowled	dge and belief. I	Kansas
	Contractor's License N		531	 I						
	CUMINACION S LICENSE IN	U.	33 1		Į.	his Water Well	Hecord was/con	Apierea ou uno	/day/yr) iow	11/12
	usiness name of	GSI	Engineeri		'	his Water Well by (signature	<i>II</i> A	pieter on (mo	/day/yr)	11/12