mw-315

WATER WEL	L RECORD	Form WWC-5	Division of Water Resources App. No.
	· · · · · · · · · · · · · · · · · ·	Fraction	Section Number Township No. Range Number
County: Reno		NW ¼ NW ¼ SW ¼ NW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			
		· —	Latitude:
1/2 mi. west of Obee Road and US Hwy 50 on north side of Hwy 50			O Longitude:I.N.S.9.S.S (in decimal degrees)
		Elevation:	
2 WATER WELL OWNER: VIGindustries			Collection Method:
RR#, Street Address, Box #: 3033 Campus Drive			GPS unit (Make/Model:)
City, State, ZIP Code : Plymouth		h, MN 55441	☐ Digital Map/Photo, ☐ Topographic Map, ☒ Land Survey
Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20.0 ft.			
SECTION BOX			ft. (2) ft. (3) ft.
N	WELL'S STATI	C WATER LEVEL 10.96	t. below land surface measured on mo/day/yr
	Pump	test data: Well water was	ft. after hours pumping gpm
EST. YIELDgpm. Well water wasft. afterhours pumping			ft. after hours pumping gpm
\mathbb{Z} Bore Hole Diameter 3.25 in. to .20.0 ft., and			
 	WELL WATER	TO BE USED AS: Public w	ater supply Geothermal Injection well
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)			
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well			
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted			
S If yes, mo/day/yr sample was submitted			
Water wen disinfected: 1 165 lgf 140			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .1			
Casing height above land surface. 0			
Steel Stainless Steel PVC Other (Specify)			
Brass Galvanized Steel None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 10.0 ft. to 20.0 ft., From ft. to ft.			
From			
From			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
Grout Intervals: From			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)			
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well			
	well		e from well
FROM TO	LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	sand with silt and clay	T KON	2.1.10.200 (some) of 12000H10 H112K4ALS
	sand war silt and olay		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year)			
Kansas Water We	Il Contractor's License No	o604 This Water Well	Record was completed on (mo/day/year) 1.1.3.1.13
under the business name of Environmental Priority Service, Inc. by (signature)			
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.			
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			