mw-scd							
WATER WELL REC	CORD	Form W	WC-5	Division of Wate	r Resources App. N	Jo L	
1 LOCATION OF WAT		Fraction		Section Number	Township No.	Range Number	
County: Reno		NE 14 NW 14 NE	14 SW 14		T 23 S		
	Wall Leastion			and the second se	And the second		
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .				Latitude:			
approx. 1/2 mi. south and 1/2 mi. east of Obee Road and US 50 in				Longitude:			
field				Elevation:i			
2 WATER WELL OWNER: VIGindustries				Datum: WGS 84, NAD 83, NAD 27			
Violinduolies				Collection Method:			
RR#, Street Address, Box #: 3033 Campus Drive				GPS unit (Make/Model:)			
City, State, ZIP Code : Plymouth, MN 55441				Digital Map/Photo, Topographic Map, X Land Survey Est. Accuracy: <a>Sm, 3-5 m, 5-15 m, >15 m			
		Est. Accuracy:	3 m, 📋 3-5 m, 📘] 5-15 m, [_] >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL <u>115.0</u> ft.							
WITH AN "X" IN							
SECTION BOX:							
WELL'S STATIC WATER LEVEL							
Pump test data: Well water wasft. after hours pumping gpm							
NW NE EST. YIELD							
W		eter 3.25 in. to .					
WELL WATED TO DE LICED AC. D Dublic system symply. D Coathermol. D Lighting will							
SWSE Domestic Preediot On heid water supply Dewatering Other (specify below)							
	Was a chemical/bacteriological sample submitted to Department? Yes Y No						
S If yes, mo/day/yr sample was submitted							
5 TYPE OF CASING USED: Steel 🗹 PVC 🗌 Other							
CASING JOINTS: 🔲 Glued 🔲 Clamped 🔲 Welded 💋 Threaded							
Casing diameter .1 in. to .110.0 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface. 0							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
□ Steel □ Stainless Steel ✔ PVC □ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot 2 Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
		From	ft. to	ft From	ft	to ft.	
GRAVEL PACK INTERVALS: From 108.0 ft. to 115.0 ft., From ft. to						to ft	
From ft. to ft., From ft. to ft.							
6 CROUT MATERIAL Next coment grout / Restorite Other							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well Distance from well							
			And in case of the local division of the loc				
FROM TO	LITHOLOG		FROM	TO LITHO. LO	O (CONL) Or PLU	JGGING INTERVALS	
44.0 70.0	th silt and clay		 				
11.0 70.0 sand							
			1				
·····			+				
h		 	<u>+</u> +-				
<u>├</u>			<u>+</u> ├-				
			+				
			1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗌 reconstructed, or 🗌 plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contra	ctor's License No	. 604 This V	Water Well Re	cord was completed	on (mo/day/year)		
under the business name of	fEnvironment	al Priority Service, I	<u>nc.</u>	by (signature) I.	the A with	<i>lf</i>	
INSTRUCTIONS: Use ty pewr							
(white, blue, pink) to Kansas De							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterweil/index.html.							