MW - 3	45						
	LL RECORD	Form W	WC-5	Division of V	ater Resources App. N	In	
1 LOCATIO	N OF WATER WELL:	Fraction		Section Number	r Township No.	Range Number	
County: Re		NW 1/4 NW 1/4 SW			T 23 S		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .				Global Positioning System (GPS) information: Latitude: 1.80.9.84.7.3.7 (in decimal degrees)			
3/4 mi. south of Obee Road and US Hwy 50 on east side of Obee				Longitude: $1.5.0.0.039$ (in decimal degrees)			
Road				Elevation:	Elevation:		
2 WATER WELL OWNER: VIGindustries					Datum: WGS 84, NAD 83, NAD 27 Collection Method:		
RR#, Street Address, Box #: 3033 Campus Drive				GPS unit (GPS unit (Make/Model:)		
City, State, ZIP Code : Plymouth, MN 55441				Est. Accuracy:	☐ Digital Map/Photo, ☐ Topographic Map, K Land Survey <u>Est. Accuracy</u> : ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL							
WITH AN " SECTION B	4 DEPTH OF OX: Depth(s) Group	COMPLETED WEL	 A (2)	ft.	(2) +		
N WELL'S STATIC WATER LEVEL 10.72 ft. below land surface measured on mo/day/						lay/yr	
Pump test data: Well water wasft. after hours pumping							
W NE E EST. YIELD							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
X Image: Sector of the sec							
S If yes, mo/day/yr sample was submitted							
1 mile	water wen dishi	fected? 🗌 Yes 🚺	No				
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded I Threaded Casing diameter .1 in. to .10.0 ft., Diameter in. to ft., Diameter in. to ft.							
Casing diameter in. to							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
□ Steel □ Stainless Steel ↓ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ None used (open hole) □ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From. ft. to 20.0 ft., From ft. to ft. to From ft. to ft. to ft. to ft. to ft.							
6 GROUT MATERIAL: 🗌 Neat cement 🔲 Cement grout 💋 Bentonite 🗍 Other							
Grout Intervals: From .0							
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well Distance from well							
FROM TO	LITHOLOG		FROM			JGGING INTERVALS	
0 11.5	sand with silt and clay						
11.5 20.0	sand						

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \checkmark constructed, \square reconstructed, or \square plugged under my jurisdiction and was completed on (mo/day/year) $(1.1.3.7.3.3.3.4)$, and this record is true to the best of my knowledge, and belief.							
Kansas Water Well Contractor's License No604 This Water Well Record was completed on (mo/day/year)							
under the business name of Environmental Priority Service, Inc. by (signature)							
(white, blue, pink)	to Kansas Depar tment of Health	and E nvironment, Bureau o	of Water, Geol	ogy Section, 1000 SW	Jackson St., Suite 420,	Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							