	NE MU NE NW WAT	ER WELL RECORD	orm WWC-	KSA 82a-	1212		
LOCATION OF WATE	R WELL: Fraction		Sec	ction Number	Township Nur		Range Number
County: KEN	) MILE	1/4 RUE 1/4 RD	£ 1/4	3/3 4	T 23 200	S	R 5 EN
~	om nearest town or city street	_	_				
<i>ચ</i>		LE LA	50				
WATER WELL OWN		RATER	_				
RR#, St. Address, Box #		PLE HANS	<u> </u>		•	•	sion of Water Resource
City, State, ZIP Code		ison Ks			Application I		
B LOCATE WELL'S LOC AN "X" IN SECTION I	ATION WITH 4 DEPTH OF Depth(s) Grou	COMPLETED WELL					
	WELL'S STAT	IC WATER LEVEL <b>2</b> . mp test data: Well water	<b>5</b> ft.,t	elow land surf	ace measured on r	no/day/yr .	3/3/182
	Est. Yield	₹.0 gpm; Well water	was	ft. af	ter	hours pump	gpmسنے ہو۔۔۔۔gpm
* w   !	Bore Hole Dia	meter <b>/</b> in. to .			nd5	in. to	5 <b></b>
£ "   '	I WELL WALEH	TO BE USED AS: 5	Public water	r supply 8	Air conditioning	11 Inje	ction well
-   - sw	1 Domesti	c 3 Feedlot 6	Oil field wa	ter supply	Dewatering	12 Oth	er (Specify below)
3\\   -	2 Irrigation				Observation well		
i	Was a chemica	l/bacteriological sample su	bmitted to D	epartment? Yes	sNo	; If yes, mo	o/day/yr sample was sub
<u> </u>	mitted			Wate	er Well Disinfected?	Yes	No
TYPE OF BLANK CAS	SING USED:	5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glued .	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify below)	1	Welded .	
2 PVC	4 ABS	7 Fiberglass					<b>1</b>
Blank casing diameter	in. to <b>آگ</b>	, ft., Dia					
Casing height above land	surface	in., weight 3,	.2.5	Ibs./ft	. Wall thickness or	gauge No.	/.6.O
TYPE OF SCREEN OR I	PERFORATION MATERIAL:		7 PV	С	10 Asbes	tos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RM	IP (SR)	11 Other	(specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	None None	used (open	hole
SCREEN OR PERFORA	TION OPENINGS ARE:	5 Gauzeo	d wrapped		8 Saw cut	11	None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch o	cut		10 Other (specify)		
SCREEN-PERFORATED	INTERVALS: From	ft. to		ft., From		ft. to	
	From	ft. to		ft., From	·	ft. to	
GRAVEL PACK	INTERVALS: From	ft. to		ft., From		ft. to	
	From	ft. to		ft., From	<u> </u>	ft. to	ft.
GROUT MATERIAL:		2 Cement grout		-	Other		
Grout Intervals: From.		ft., From	ft.	to	ft., From		ft. to
What is the nearest sour	ce of possible contamination:			10 Livesto	•		doned water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer		9 Feedyard		13 Insecti	cide storage .		
Direction from well?	WORT H		<del></del>	How many	y feet?	175	FEET
FROM TO	LITHÖLÖĞİ		FROM	то	LI	THOLOGIC	LOG
1/2	F BROWN	) SALLY	ļ				
7 18	GRAY	CLAI					
18 32	SAND 7	GRAVEL					
32 85	SHALE	•					
			ļ				
			<b></b>				
CONTRACTOR'S OR	LANDOWNER'S CERTIFICA	TION: This water well wa	(1) constru	cted (2) recon	structed, or (3) plu	aged under	my jurisdiction and was
Completed on (moldayly)	ar) 3 - 3.1.82	- THIS WALE WELL WA	Constitu				edge and belief. Kansas
Nater Weli Contractor's I	icense No 3. 8. 2	This Water We	II Record w				
	<b>.</b>		iii necora wa	is completed o by (signatt		12	•
Inder the business name	ewriter or bail point pen, PLEA	sten well	PRINTclear			r circle the co	orrect answers. Send tor
	postment of Health and Environ	nment, Division of Environn	nent, Environ	mental Geology	Section. Topeka k	S 66620. Se	nd one to WATER WELI
hree copies to Kansas De	partinent of realth and Environ						