

1 LOCATION OF WATER WELL: County: <b>Reno</b>		Fraction: <b>NE 1/4 NW 1/4 SW 1/4</b>	Section Number: <b>1</b>	Township Number: <b>T 23 S</b>	Range Number: <b>R 5 E</b>
Distance and direction from nearest town or city street address of well if located within city? <b>220 W. 23rd Hutchinson</b>					
2 WATER WELL OWNER: <b>Berry Plumbing</b> RR#, St. Address, Box #: <b>220 W. 23rd</b> City, State, ZIP Code: <b>Hutchinson Kan 67502</b>					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <b>35</b> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <b>18</b> ft. 2. <b>18</b> ft. 3. <b>18</b> ft. WELL'S STATIC WATER LEVEL <b>18</b> ft. below land surface measured on mo/day/yr <b>7-22-88</b> Pump test data: Well water was <b>19</b> ft. after <b>1</b> hours pumping <b>20</b> gpm Est. Yield <b>50</b> gpm: Well water was <b>19</b> ft. after <b>1</b> hours pumping <b>20</b> gpm Bore Hole Diameter <b>9</b> in. to <b>19</b> ft. and <b>6</b> in. to <b>35</b> ft.			
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <b>X</b> No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>X</b> No			
		5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass Blank casing diameter <b>6</b> in. to <b>25</b> ft. Dia. <b>25</b> in. to <b>25</b> ft. Dia. <b>25</b> in. to <b>25</b> ft. Dia. <b>25</b> in. to <b>25</b> ft. Dia. Casing height above land surface <b>12</b> in., weight <b>25</b> lbs./ft. Wall thickness or gauge No. <b>250</b>			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft. GRAVEL PACK INTERVALS: From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft. From <b>25</b> ft. to <b>35</b> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <b>3</b> ft. to <b>19</b> ft. From <b>3</b> ft. to <b>19</b> ft. From <b>3</b> ft. to <b>19</b> ft. From <b>3</b> ft. to <b>19</b> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? <b>West</b> How many feet? <b>20</b>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Sandy soil			
2	11	Sandy clay			
11	14	fine sand			
14	17	fine gravel			
17	35	medium gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>7-22-88</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>193</b> This Water Well Record was completed on (mo/day/yr) <b>11-20-89</b> under the business name of <b>Price Water Well</b> by (signature) <b>John Davenport</b>					