

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>	<u>SW 1/4 NE 1/4 NW 1/4</u>	<u>2</u>	T <u>23</u> S	R <u>5</u> E <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

2 mi E of Hutchinson

2 WATER WELL OWNER:	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Application Number:
City, State, ZIP Code :	

Mark Fesen
8 Tanglewood Ln
Hutch, KS 67502

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>108</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>31</u> ft. below land surface measured on mo/day/yr <u>4-14-94</u>
	Pump test data: Well water was <u>70</u> ft. after <u>2</u> hours pumping <u>20</u> gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter <u>9</u> in. to <u>111</u> ft. and in. to ft.
WELL WATER TO BE USED AS:	
<input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Feedlot <input type="checkbox"/> Oil field water supply <input type="checkbox"/> Dewatering <input type="checkbox"/> 12 Other (Specify below) <input type="checkbox"/> 2 Irrigation <input type="checkbox"/> 4 Industrial <input type="checkbox"/> 7 Lawn and garden only <input type="checkbox"/> 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes <u>X</u> No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<input checked="" type="radio"/> PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to <u>88</u> ft., Dia			Threaded
Casing height above land surface <u>18</u> in., weight <u>2.37</u> lbs./ft. Wall thickness or gauge No. <u>160</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From <u>88</u> ft. to <u>108</u> ft., From <u>75</u> ft. to <u>111</u> ft.			
GRAVEL PACK INTERVALS: From <u>40</u> ft. to <u>55</u> ft., From <u>60</u> ft. to <u>70</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<input checked="" type="radio"/> Bentonite	4 Other
Grout Intervals: From <u>3</u> ft. to <u>23</u> ft., From <u>55</u> ft. to <u>60</u> ft., From <u>70</u> ft. to <u>75</u> ft.				
What is the nearest source of possible contamination:				
<input checked="" type="radio"/> Septic tank <u>proposed</u>	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>NE</u> How many feet? <u>150</u>				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	F Sand			
10	17	Gr clay			
17	53	F Sand-Sm Layers clay			
53	62	Sandy Br & Gr clay			
62	67	F Sand			
67	85	Br & Gr clay			
85	110	F Sand			
110	111	Br clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-18-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>447</u> This Water Well Record was completed on (mo/day/yr) <u>5-4-94</u> under the business name of <u>Miller Drilling</u> by (signature)
