		WATER	WELL RECORD	Form Wy		1212			
	F WATER WELL:	Fraction	A ./ .	111/	Section_Number	Township Nur		Range Nu	mber.
County: County:		LNW 1/4	UW 1/4	V W 1/4	<b>ン</b>	1 23	S	R 5	E(W)
Distance and dir	ection from nearest town	or city street ad	1 7//						
2900	Thalle	- 4	talchen	sa f	c. 675	02			
2 WATER WEL	L OWNER: Carl	McCle	cheen						
	ss, Box # : 2 600					Board of Ag	riculture, Divis	sion of Water	Resources
City, State, ZIP			to 1	7500	_	Application I			
	L'S LOCATION WITH 4	DEPTH OF O	A S WELL	16	5 4 5 5 7 4	<del></del>			
AN "X" IN SE	CTION BOX:	epth(s) Groundw	ater Encountered	1 1 <i> </i>	ft. 2		ft. 3		ft.
ĭ  X	! ! \\					face measured on r			
L: NW	V NF					ter <del> /</del>			
		st. Yield ! 💲	. gpm: Well	water was .,	<u></u> ft. af	ter	hours pumpi	ng	gpm
<u>. i</u>	I I B	ore Hole Diamet	er <i>I.O</i> in	. to	2.2ft., a	and <b>5</b>	in. to		)
w I		ELL WATER TO	BE USED AS:	5 Public	water supply	Air conditioning	11 Inje	ction well	
-   '		1 Domestic	3 Feedlot				12 Oth	er (Specify b	elow)
sw	/   SE	2 Irrigation	4 Industrial			0 Monitoring well .			
1 1 !	1 ! ]   "	_				s			
<u> </u>			acteriological sam	ipie submitted		ter Well Disinfected		No	ie was sub
		nitted							
_	ANK CASING USED:		5 Wrought iron		oncrete tile	CASING JOIN			zu
1 Steel	3 RMP (SR)		6 Asbestos-Cem	ent 9 O	ther (specify below	<i>(</i> )	Welded .		
<b>Ø</b> PVC	4 ABS	( )	7 Fiberglass					d	
Blank casing dia	meter in	. to 62.	ft., Dia	اأبر صويد	n. to	ft., Dia	in.	to	ft.
Casing height at	ove land surface	<i>14</i>	in., weight	SDL	21 lbs./1	ft. Wall thickness or	gauge No.		
	EN OR PERFORATION	,	,		PVC		stos-cement		
1 Steel	3 Stainless s		5 Fiberglass		RMP (SR)		r (specify)		
2 Brass			•		` '	_			
	4 Galvanized		6 Concrete tile		ABS		used (open	•	
	ERFORATION OPENINGS			Sauzed wrapp	ed	8 Saw cut	11	None (oper	i nole)
1 Continuo	ous slot 3 Mill	slot	6 V	Vire wrapped		9 Drilled holes			
2 Louvered	d shutter 4 Key	punched	7 T	orch cut		10 Other (specify)			
SCREEN-PERFO	ORATED INTERVALS:	From	ft.	to	Fror	n	ft. to		<sub>.</sub> ft.
		From	ft.	to	ft., Fror	n <i>.</i>	ft. to		
GRAVE	EL PACK INTERVALS:	From			•	n			
		From	ft.		ft., Fror		ft. to		ft.
6 GROUT MAT	ERIAL: 1 Neat cer		? Cement grout			Other			
_	<b>6</b> 2	/ / 2	. Cement grout	~ ~ ~	20	ft., From			
Grout Intervals:	From		π., From						
	rest source of possible co				10 Livest	•		doned water	well
1 Septic tank 4 Lateral lines		lines	7 Pit privy		11 Fuel s	storage	•		
2 Sewer lines 5 Cess pool		ool	8 Sewage lagoon		12 Fertili	zer storage	16 Other (specify below)		
(3)Watertigl	ht sewer lines 6 Seepag	je pit	9 Feedya	rd	13 Insect	ticide storage .			
Direction from w	rell? 🝋 W.e.	くナ			How mar	ny feet? 57)			
FROM T	0	LITHOLOGIC L	.OG	FRO	<del></del>		JGGING INTE	RVALS	
0 4	1 San I	F	~ <del>}-</del>						
4 11	Con	,							
11 11	1 2	1 F							
16 2	- Tone	· / M	<u> </u>						
/Y   Z	Lecy	1	Y.						
25 3	0 20pm	1 1-	y						
30 6	2 Cla	4,							
6d 11	5 Sha	V <sub>e</sub>							
4 - 10	,	-(							
7 CONTRACTO	OR'S OR LANDOWNER'S	CERTIFICATIO	N. This water w	ell was mo	netructed (2) reco	netructed or (3) plu	inned linder	my juriedictio	n and was
completed on (m		-7 2-5	)	~					
		July	<b></b>			rd is true to the best	COLUMN KNOWN	edge and bell	ei. Kansas
	ractor's License No.	1.7.7.01	· This Wat	er Well Recor	d was completed of		. 4		
under the busine	ess name of ( aul L	ment 1	alm		by (signat	ure) Fun (			
	S: Use typewriter or ball point per Environment, Bureau of Water, To							es to Kansas De	partment