

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Leawood</u>		<u>NW 1/4 SW 1/4 NE 1/4</u>	<u>7</u>	<u>T 23 S</u>	<u>R 5 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>2600 Meadowlake</u>					
2 WATER WELL OWNER: <u>Herchel (owner)</u>					
RR#, St. Address, Box #: <u>2600 Meadowlake</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: <u>Hutchinson KS 67503</u>			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>30</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>10</u> ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL <u>10</u> ft. below land surface measured on mo/day/yr <u>9-1-93</u>			
		Pump test data: Well water was <u>25</u> ft. after <u>4</u> hours pumping <u>20+</u> gpm			
		Est. Yield <u>20+</u> gpm: Well water was . ft. after . hours pumping . gpm			
		Bore Hole Diameter: <u>10</u> in. to <u>42</u> ft., and <u>5</u> in. to <u>90</u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? <u>Yes</u> No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: <u>Glued</u> Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded					
Blank casing diameter <u>5</u> in. to <u>30</u> ft., Dia. . in. to . ft., Dia. . in. to . ft.					
Casing height above land surface <u>14</u> in., weight . lbs./ft. Wall thickness or gauge No. .					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>30</u> ft. to <u>42</u> ft., From . ft. to . ft.					
GRAVEL PACK INTERVALS: From <u>30</u> ft. to <u>42</u> ft., From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <u>0</u> ft. to <u>20</u> ft., From . ft. to . ft., From . ft. to . ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? <u>E</u> How many feet? <u>80</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Sand			
8	20	Clay			
20	30	Sand & Clay			
30	42	Sand (m)			
42	90	Chale (red)			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-1-93</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>440</u> This Water Well Record was completed on (mo/day/yr) <u>1-25-94</u>					
under the business name of <u>Carl Vincent Lewis</u> by (signature) <u>Rm</u>					