

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>	<u>SW 1/4 NE 1/4 NE 1/4</u>	<u>4</u>	T <u>23</u> S	R <u>5</u> E <u>W</u>

Distance and direction from nearest town or city street address of well if located within city?

E edge of Hutchinson on 28th

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources
<u>Rick Hooper</u>	<u>1512 Dixie</u>	<u>Hutch, KS 67501</u>	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL. <u>148</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>60</u> ft. below land surface measured on mo/day/yr <u>7-5-94</u> Pump test data: Well water was <u>110</u> ft. after <u>2</u> hours pumping <u>5</u> gpm Est. Yield <u>5</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>9</u> in. to <u>54</u> ft. and <u>6</u> in. to <u>148</u> ft. WELL WATER TO BE USED AS: <input checked="" type="radio"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>6</u> in. to <u>54</u> ft. Dia			Threaded
Casing height above land surface <u>12</u> in. weight <u>3.37</u> lbs./ft. Wall thickness or gauge No. <u>160</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	<u>12</u> None used (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From ft. to ft.	From ft. to ft.	
GRAVEL PACK INTERVALS:	From ft. to ft.	From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3</u> Bentonite	4 Other
Grout Intervals: From <u>3</u> ft. to <u>23</u> ft.	From <u>49</u> ft. to <u>54</u> ft.	From ft. to ft.		
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
<u>3</u> Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	14 Abandoned water well
Direction from well? <u>S</u>			13 Insecticide storage	15 Oil well/Gas well
			How many feet? <u>55</u>	16 Other (specify below)

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>12</u>	<u>F Sand</u>			
<u>12</u>	<u>22</u>	<u>Br clay</u>			
<u>22</u>	<u>27</u>	<u>F Sand</u>			
<u>27</u>	<u>48</u>	<u>Rocky Br clay</u>			
<u>48</u>	<u>148</u>	<u>Shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-5-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>447</u> This Water Well Record was completed on (mo/day/yr) <u>7-15-94</u> under the business name of <u>Miller Drilling</u> by (signature) <u>Eg Miller</u>
--