		TER WELL RECORD	Form WWC-	5 KSA 8	2a-1212 PL	UGGING REP	
1 LOCATION OF WATE	R WELL: Fraction	-	Se	ction Numb	er Township	Number	Range Number
County: REN		NNE 1 5		6	1 T 2	3 s l	R5 (■ E/M)
Distance and direction f	rom nearest town or city street	address of well if locate	d within city?				
L 4 L	awndale, Hutchinso	on KS 67502					
2 WATER WELL OWN	ER: Carl King						
RR#, St. Address, Box	-				Board	of Agriculture. Div	ision of Water Resources
	: Hutchinson KS 6	57502				tion Number:	
3 LOCATE WELLS LO	CATION WITH 4 DEPTH OF	07:0UZ	20		Applica		
AN "X" IN SECTION							
N N	Deptn(s) Groun	ndwater Encountered 1		ft	. 2	ft. 3	5/10/02ft.
		IC WATER LEVEL §					
NW -		mp test data: Well water					
	il≎ rield	gpm; Well water	er was	ft.	after	hours pump	oing gpm
* w - !	Bore Hole Dia	meter			, and	in. to	o
ž W I	WELL WATER	RMMME USED AS:	5 Public water	er supply	8 Air condition	ing 11 Inj	ection well
7 !	1 Domesti	ic WaS 3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 Ot	her (Specify below)
sw -	- SE 2 Irrigation						
	' ' '						o/day/yr sample was sub-
1	mitted	ar oddionological sample s	submitted to b	•	ater Well Disinfe		No
5 TYPE OF BLANK CA		E Marriela lese					Clamped
1 Steel		5 Wrought Iron	8 Concr				· ·
2 PVC	3 RMP (SR)	6 Asbestos-Cement		(specify bel	•		
	4 ABS	7 Fiberglass				Threade	ed
Blank casing diameter.	5in. to	ft., Dla	in. to	· <u>.</u>	ft Dia	in.	to ft.
	d surface]eve]	ln., weight			s./ft. Wall thickne	ss or gauge No.	
TYPE OF SCREEN OR	PERFORATION MATERIAL:		7 PV	C	10 /	Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 FM	MP (SR)	11 (Other (specify)	NA
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB	S	12 1	None used (open	hole)
SCREEN OR PERFORA	TION OPENINGS ARE:	5 Gauze	ed wrapped		8 Saw cut	1	1 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire			9 Drilled hole		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2 Louvered shutter		7 Torch					NT
SCREEN-PERFORATED		1. 10 ft. to		11	10 Other (spe	(III)	
SONEEN-FENFONATED	,						
		ft. to		ft Fr	om	ft. to	
GRAVEL PACK				ft., Fr	om	ft. to	
-	(INTERVALS: From From	ft. to '		ft., Fr	om	ft. to ft. to	ft.
6 GROUT MATERIAL:	From Neat cement	ft. to *	3 Bento	ft., Fr ft., Fr	omom I OtherC <u>e</u> M	ft. to ft. to pnt	ft.
6 GROUT MATERIAL:	From	ft. to *	3 Bento	ft., Fr ft., Fr	omom I OtherC <u>e</u> M	ft. to ft. to pnt	ft.
6 GROUT MATERIAL: Grout Intervals: From.	From Neat cement	ft. to *	3 Bento	ft., Fr	omom \$ OtherC <u>e</u> M	ft. to ft. to ft. to	ft.
6 GROUT MATERIAL: Grout Intervals: From.	Neat cementO	ft. to *	3 Bento	ft., Fr ft., Fr onite to	om om 4 Other . CEM ft., From	ft. to ft. to ent 14 Abar	ft
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour	From Neat cement One of possible contamination:	ft. to * 2 Cement grout ft., From 7 Pit privy	3 Bento	ft., Fr ft., Fr onite to 10 Live	om	ft. toft.	ft. to ft. ndoned water well
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines	Prom Neat cement to the to the contamination: 4 Lateral lines 5 Cess pool	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago	3 Bento	ft., Fr ft., Fr onite to 10 Live 11 Fue 12 Fert	om	ft. toft.	ft. toft. adoned water well
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer	Prom Neat cement th. to	ft. to * 2 Cement grout ft., From 7 Pit privy	3 Bento	10 Live 11 Fue 12 Fert 13 Inse	om	ft. toft.	ft. toft. ndoned water well
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. toft.	ft. toft. ndoned water well vell/Gas well r (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to the to the contamination: 4 Lateral lines 5 Cess pool	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ndoned water well vell/Gas well r (specify below)
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ndoned water well vell/Gas well r (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ndoned water well vell/Gas well r (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ndoned water well vell/Gas well r (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. toft. ft. toft. indoned water well vell/Gas well ir (specify below)
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. to
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	om	ft. to ft	ft. to
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	omom I Other . Cemilft., From estock pens I storage elitizer storage ecticide storage any feet?	ft. to ft	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	omom I Other . Cemilft., From estock pens I storage elitizer storage ecticide storage any feet?	ft. to ft	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	omom I Other . Cemilft., From estock pens I storage elitizer storage ecticide storage any feet?	ft. to ft	ft. to
6 GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well?	Prom Neat cement to of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fr	omom I Other . Cemilft., From estock pens I storage elitizer storage ecticide storage any feet?	ft. to ft	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from welt? FROM TO	From Neat cement Int. to Int	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG	3 Bento	tt., Fr ft., Fr	om	ft. to ft	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	From Neat cement Int. to Int	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 Abar 15 Oil w 16 Othe	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO	Ines 6 Seepage pit LITHOLOGIC LANDOWNER'S CERTIFICAT ar) . May18., .1992.	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG	3 Bento ft.	to	om	14 Abar 15 Oil w 16 Othe	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO CONTRACTOR'S OR completed on (mo/day/yea/Water Well Contractor's L	LANDOWNER'S CERTIFICAT ar) May 18., 1992 From Neat cement Int. to O Int. to O Lateral lines 5 Cess pool LITHOLOGIC LITHOLOGIC	ft. to * 2 Cement groutft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG TION: This water well wa	3 Bento ft.	10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 Abar 15 Oil w 16 Othe	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO CONTRACTOR'S OR completed on (mo/day/yea/ Water Well Contractor's Lander the business name	Ines 6 Seepage pit LANDOWNER'S CERTIFICAT ar) . May . 18., 1992 Icense No. orAdvance Termite	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG TION: This water well wa This Water We & Pest Control	S KNINKINKINKINKINKINKINKINKINKINKINKINKIN	10 Live 11 Fue 12 Fert 13 Inse How m TO	Office of the control	14 Abar 15 Oil w 16 Othe	ft. to
GROUT MATERIAL: Grout Intervals: From. What is the nearest sour 1 Septic tank 2 Sewer lines 3 Watertight sewer Direction from well? FROM TO CONTRACTOR'S OR completed on (mo/day/yea/water Well Contractor's Lander the business name INSTRUCTIONS: Use typ	LANDOWNER'S CERTIFICAT ar) May 18., 1992 From Neat cement Int. to O Int. to O Lateral lines 5 Cess pool LITHOLOGIC LITHOLOGIC	ft. to * 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard C LOG CION: This water well wa This Water We & Pest Control SE PRESS FIRMLY and	S RIMINIUM ROW S RIMINIUM ROW S Inc. PRINT clearly	tt., Fr ft., Fr	om	14 Abar 15 Oil w 16 Othe LITHOLOGIC DIVISION plugged under r best of my knowle 6/8/92	ft. to