

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Reno	NW ¼ NW ¼ NW ¼	6	T 23 S	R 5 E	(EW)
Distance and direction from nearest town or city street address of well if located within city? 811 E. 30th Street					
2 WATER WELL OWNER: Republic Gypsum Company		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: P.O. Box 750		Application Number:			
City, State, ZIP Code: Dallas, Texas 75221-0750					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 28 ft. ELEVATION: 101.14				
<p>1 Mile scale bar.</p>	Depth(s) Groundwater Encountered 1. 18.5 ft. 2. . ft. 3. . ft.				
	WELL'S STATIC WATER LEVEL 18.5 ft. below land surface measured on mo/day/yr 11/1/92				
	Pump test data: Well water was . ft. after . hours pumping . gpm				
	Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm				
	Bore Hole Diameter 6.625 in. to 30 . ft., and . in. to . ft.				
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW-1					
Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 2 . in. to 18 . ft., Dia.				8 Concrete tile	
Casing height above land surface 0.0 . in., weight . lbs./ft.				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC		10 Asbestos-cement	
1 Steel		3 Stainless steel		8 RMP (SR)	
2 Brass		4 Galvanized steel		9 ABS	
3 Fiberglass		6 Concrete tile		11 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut	
1 Continuous slot		6 Wire wrapped		9 Drilled holes	
2 Louvered shutter		7 Torch cut		10 Other (specify)	
3 Mill slot		8 Saw cut		11 None (open hole)	
4 Key punched		9 Drilled holes			
SCREEN-PERFORATED INTERVALS: From 28 . ft. to 18 . ft., From . ft. to . ft.					
GRAVEL PACK INTERVALS: From 28 . ft. to 16 . ft., From . ft. to . ft.					
FROM . ft. to . ft., FROM . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 16 . ft. to 12 . ft., From 12 . ft. to 0 . ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5	Sandy Loam, Dark Brown			
5	11	Clay, Dark Brown, Lean			
11	28	Sand, Tan, Fine to Large Grained			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-30-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 540 This Water Well Record was completed on (mo/day/yr) 5-19-93 under the business name of Prairie Land Environmental Remediation Inc. (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					