

1) LOCATION OF WATER WELL: County: Reno		Fraction NE 1/4 NW 1/4 NW 1/4		Section Number 6		Township Number T 23 S		Range Number R 5 EW	
Distance and direction from nearest town or city street address of well if located within city? 29 East 30th Street, Hutchinson, Kansas									
2) WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Dale Smyres 629 East 30th Street Hutchinson, Ks. 67502 Board of Agriculture, Division of Water Resources Application Number:							
3) LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4) DEPTH OF COMPLETED WELL: 23 ft. ELEVATION: 15 ft. Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 14.12 ft. below land surface measured on mo/day/yr 06-30-93 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 7 5/8 in. to 24 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No. If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No							
5) TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter 2 in. to 13 ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 13 ft. to 23 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 11 ft. to 23 ft., From ft. to ft. From ft. to ft., From ft. to ft.							
6) GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From 0 ft. to 9 ft., From 9 ft. to 11 ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage 140 Direction from well? northwest How many feet?							
FROM TO		LITHOLOGIC LOG				FROM TO		PLUGGING INTERVALS	
0 2		SILT, LT BRN, SANDY							
2 7		CLAY, DK BRN, V SNDY							
7 10		SILT, LT TO MOD BRN, SL SNDY						MW2	
10 14		SAND, MOD BRN, VF TO F						Flush cover	
14 15		SAND, MOD TO DK BRN, M TO V C W/M TO C GRVL						KDHE id 00081924	
15 15.8		CLAY, BLK, SL SLTY							
15.8 24		SND, LT TO MOD BRN, F TO C							
7) CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 06-25-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 07-12-93 under the business name of GeoCore Services, Inc. by (signature) Dale Bell									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									