	WATE	R WELL RECORD	Form WWC-	5 KSA 8	2a-1212	
LOCATION OF WATER WELL:	Fraction	ME	Se	ction Number	, i	Range Number
County: XENO	N= 1/4	NE1/4	y W 1/4	10	ут 23 s	R 5 EW)
Distance and direction from nearest tow				1+	. 11 - 1	Ke
	E (Echo	munici	pa/H	gan	Hutchinsm	<i>N</i> >
2 WATER WELL AWNER: CITY	of Hutc	AINS AT	•	•	,	
RR# St Address Roy #	1 10	7	,,	,	Board of Agriculture	e, Division of Water Resources
City, State, ZIP Code : Hur	HINSON ,	KS 67504	- 156/		Application Number	
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	23	ft. ELEV	/ATION:	
AN "X" IN SECTION BOX:					. 2 ft.	
I ! X	WELL'S STATIC	WATER LEVEL	. /8 1].". ft.	below land s	surface measured on mo/day/	yr
					-	pumping gpm
	Est. Yield	gpm: Well wa	ter was	ft.	after hours	pumping gpm
					, and	
₹ w 1 1 1	WELL WATER T	O BE USED AS:	5 Public wat	er supply	8 Air conditioning 1	1 Injection well
	1 Domestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering 1	2 Other (Specify below)
3W 3E	(2) Irrigation	4 Industrial			10 Monitoring well	
1 1 1	Was a chemical/b	pacteriological sample	submitted to D	epartment?	Yes; If ye	es, mo/day/yr sample was sub-
<u> </u>	mitted			V	Vater Well Disinfected? Yes	¥ No
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Conc			ed Clamped
1 Steel 3 RMP (SF	₹)	6 Asbestos-Cement	9_Other	(specify bel	ow) We	elded
2 PVC 4, ABS	_	7 Fiberglass				readed
Blank casing diameter	.in. to 23	•	• • •			. in. to ft.
Casing height above land surface	A -					8 4 47
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		7 P\	/C	10 Asbestos-cei	ment 10 MA
1 Steel 3 Stainless	steel	5 Fiberglass	8 RI	MP (SR)	11 Other (speci	y Galvanes Tin
2 Brass 4 Galvaniz	ed steel	6 Concrete tile	9 AE	38	12 None used (open hole)
SCREEN OR PERFORATION OPENIN	GS ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3 M	ill slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shutter 4 Ke	ey punched	/ A 7 Toro	h cut		10 Other (specify)	U/.X
SCREEN-PERFORATED INTERVALS:	From	ft. to .		ft., Fr	rom ft	. .
	From	ft. to .		ft., Fr	rom ft	. toft.
GRAVEL PACK INTERVALS:	From	ft. to .		ft., Fr	rom ft	. toft.
_	From	ft. to		ft., Fr	rom ft	. to ft.
6 GROUT MATERIAL: 1 Neat of	cement	2 Cement grout	3 Bent	onite	4 Other	
Grout Intervals: From	ft. to 3	ft., From	ft.	to	ft., From	ft. to ft.
What is the nearest source of possible	contamination:	,		10 Live	estock pens 14	Abandoned water well
1 Septic tank 4 Laters	al lines	Pit privy		11 Fue	el storage 15	Oil well/Gas well
2 Sewer lines 5 Cess		8 Sewage la	goon	12 Fer	tilizer storage 16	Other (specify below)
3 Watertight sewer lines 6 Seep	age pit	9 Feedyard		13 Inse	ecticide storage	None
Direction from well?				How m	any feet?	
FROM TO	LITHOLOGIC	rog	FROM	TO	PLUGGING	INTERVALS
			0	3'	Clay Tox	, So, 1
			3'	14'	Cement / Girbo	it 150% portland
					50 % San	2) '
			14'	23'	Chloninated.	Sand
	· · · · · · · · · · · · · · · · · · ·					
						1000
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATI	ON: This water well s	was (1) constr	icted (2) ro	constructed or a plugged in	nder my jurisdiction and was
completed on (mo/day/year)	13 191					knowledge and belief. Kansas
Water Well Contractor's License No.						26 - 91
under the business name of CITY &	& HUTALIAL	SOM PLOY	TTOLUIU W	•	nature)	/
INSTRUCTIONS: Use typewriter or ball point p	-	, ,	Diagon fill in blank			a seeige to Kanaga Danatanat
INSTRUCTIONS: USE typewriter or ball point t					cle the correct answers. Send top thre ER WELL OWNER and retain one for	