	WATE	R WELL RECORD	Form WWC-5	5 KSA 82a	-1212				
1 LOCATION OF WATE	LOCATION OF WATER WELL: Fraction		Sec	ction Number	· · · · · · · · · · · · · · · · · · ·	'		Range Number	
County: Revi		NE 1/4 N		/2	T 23	S	R	3	<b>€</b> ₩
Distance and direction fr	om nearest town or city street a		,	,,			~ *		
		of Hutch	Phson	- 16	OT NY Ke	nt	Kd		
2 WATER WELL OWN	ER: Lloyd Se	hnitZler	א פ						
RR#, St. Address, Box	#: 1902 N	May field	Na		Board of Ag		Division of	Water R	lesources
City, State, ZIP Code		sonj KS 6			Application N				
J LOCATE WELL'S LOC AN "X" IN SECTION	DOV.	OMPLETED WELL							
N	Depth(s) Ground	water Encountered							
Ī	WELL'S STATIO	WATER LEVEL	. <b>/. 8</b> ft. <u>b</u>	elow land sur	face measured on n	no/day/yr	٠٠٠ <b>٠٠</b>	17.0	۶.۶
NW -		p test data: Well wat	•	•	•	•	. •		
	Est. Yield	/ gpm: Well wat							
w 1		eter <i>J. O</i> in. to	•						ft.
2		O BE USED AS:	5 Public water		8 Air conditioning		Injection w		
sw	- SE Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		Other (Spe	•	<i>'</i>
	2 Irrigation	4 Industrial			0 Observation well				
<u> </u>		bacteriological sample	submitted to D	•			1 -		was sub-
5 TYPE OF BLANK CA	mitted	E Manualtina	9.00		ter Well Disinfected?		• • • • • • • • • • • • • • • • • • • •	lo-nod	
1 Steel	3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement	8 Concr		CASING JOIN		a		
€ PVC	4 ABS			(specify below	•				
	6in. to26	7 Fiberglass			4 Die		aded		
Casing height above land		in., weight \$						•	
• •	PERFORATION MATERIAL:	.iii., weigitt	ذV		10 Asbes				
1 Steel	3 Stainless steel	5 Fiberglass		IP (SR)					
2 Brass	4 Galvanized steel	6 Concrete tile	9 AE	, ,	12 None	• • • • • • • • • • • • • • • • • • • •			
	TION OPENINGS ARE:		zed wrapped		8 saw cut	٠.	11 None	(onen h	nole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled holes		71 None	(open n	Olo)
2 Louvered shutter		7 Torc	• •		10 Other (specify)				
SCREEN-PERFORATED	, , ,	.2.6 ft. to .		ft From	n	ft. t	o		ft.
		ft. to .							
GRAVEL PACE		23 ft. to .			n				
	From	ft. to		ft., From		ft. t			ft.
6 GROUT MATERIAL:		2 Cement grout	(3)Bento	onite 4	Other				
Grout Intervals: From.		ft., From	ft.	to	ft., From		ft. to .		ft.
	ce of possible contamination:				ock pens		bandoned		
(1)Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage 15			Oil well/Gas well		
2 Sewer lines	5 Cess pool	8 Sewage lagoon		12 Fertilizer storage 16			Other (specify below)		
3 Watertight sewer	lines 6 Seepage pit	9 Feedyard		13 Insec	icide storage .				
Direction from well?	W			How mar					
FROM TO	LITHOLOGIC		FROM	то	LI	THOLOG	IC LOG		
0 2/	Sandy Clay Sill	<del>/</del>		ļ			<del>- ; '</del> :		
	Sand						·		
46 49	Br Clay						· • • • • • • • • • • • • • • • • • • •		
					1 5				
					*				
				-					-
					. ,	-	·		
	A 1-10 -								
							-		
7	LANDOMNICO OCCUPACIO	ONI. This was a "		L			lan		
ONTHACTOR'S OR	LANDOWNER'S CERTIFICATI								
	License No	This Water V							
		A		-		-			
under the business name INSTRUCTIONS: Use type	ewriter or ball point pen. PLEASE PRES	SS FIRMEY and PRINT cle	arly. Please fill in	by (signat	or circle the correct an	swers. Sen	d top three o	opies to K	ansas
Department of Health and	Environment, Bureau of Water Protect	tion, Topeka, Kansas 6662	20-7320, Telepho	ne: 913-862-936	0. Send one to WATER	WELL OW	/NER and ret	ain one fo	or your