


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>SW</u> 1/4 <u>SW</u> 1/4 <u>SE</u> 1/4	<u>12</u>	T <u>23-S</u>	R <u>5-E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>From 4th Street & Yoder Rd (in Hutchinson, Ks) go 2 1/2 miles East, North side of road.</u>					
2 WATER WELL OWNER: <u>Jeff Neighbors</u>					
RR#, St. Address, Box #: <u>6802 East 4th</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: <u>Hutchinson, Ks 67501</u>			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>58</u> ft. ELEVATION:			
<div style="text-align: center;">N W E S</div> 		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL: <u>20</u> ft. below land surface measured on mo/day/yr <u>March 6, 1989</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield: <u>N/A</u> gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter: <u>9 7/8</u> in. to 58 ft., and in. to ft.			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped			
1 Steel		5 Wrought iron	8 Concrete tile	Welded	
3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Threaded	
<input checked="" type="checkbox"/> PVC		7 Fiberglass			
4 ABS					
Blank casing diameter: <u>5</u> in. to <u>0</u> - <u>8</u> ft., Dia. <u>48</u> - <u>58</u> in. to ft., Dia. in. to ft.					
Casing height above land surface: <u>18</u> in., weight: <u>160</u> lbs./ft. Wall thickness or gauge No. <u>216</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<input checked="" type="checkbox"/> PVC			
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	<input checked="" type="checkbox"/> Saw cut	11 None (open hole)	
1 Continuous slot		3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter		4 Key punched	7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From: <u>8</u> ft. to <u>48</u> ft., From: ft. to ft.					
GRAVEL PACK INTERVALS: From: <u>20</u> ft. to <u>58</u> ft., From: ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement <input checked="" type="checkbox"/> 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From: <u>0</u> ft. to <u>20</u> ft., From: ft. to ft., From: ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	<u>None</u>
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Sandy top soil			
3	8	Tan clay			
8	17	Black soft mud			
17	24	Fine sand & clay mix			
24	52	Tan clay			
52	56	Soft green clay			
56	58	Red Bed			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>March 6, 1989</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>134</u> This Water Well Record was completed on (mo/day/yr) <u>March 8, 1989</u> under the business name of <u>Rosencrantz-Bemis Enterprise</u> by (signature) <u>Joseph Dodson</u>					