	WATE	H WELL RECORD F	orm WWC-5 KSA	82a-1212	
1 LOCATION OF WATER WEL	L Fraction NW 1/4	NE 1/4 SE	Section Numb	T 23	
Distance and direction from nea		// 74 5 7	Chrost address of	II if Innatad within air 0	
			6901 Po	ny Acres Rd	- Hutchinson
2 WATER WELL OWNER: L	_	trohmey	ęr	•	
RR#, St. Address, Box # : 4	901, Rony	Acres Ka	x!		Ilture, Division of Water Resource
City, State, ZIP Code :	tut chinso	n Kan. 6	7501	Application Nu	
3 DEPTH OF COMPLETED W	VELL7.0ft. B	ore Hole Diameter/.	2in. to7	. O ft., and	in. to ; . , f
Well Water to be used as:	5 Public water s	upply	8 Air conditioning	11 Injection	on well
Domestic 3 Feedlot	6 Oil field water	supply	9 Dewatering	12 Other	(Specify below)
2 Irrigation 4 Industrial	7 Lawn and gard		10 Observation well		·····
Well's static water level	. 🞖 ft. below land	surface measured on .	July	.month 1 3	day 7.9 year
Pump Test Data Est. Yield 25 gp	: Well water was om: Well water was	. 2 . 7 ft. after . ft. after		hours pumping hours pumping	gpm gpm
4 TYPE OF BLANK CASING		5 Wrought iron	8 Concrete tile		: GluedX Clamped
1 Steel (3)	RMP (SR)	6 Asbestos-Cement	9 Other (specify be	elow)	Welded
_	ABS	7 Fiberglass			Threaded
Blank casing dia 6	in. to4.5	ft., Dia	in. to	ft., Dia	in. to , f
	ce1.2	in., weight		lbs./ft. Wall thickness or o	auge No / . 7.5
TYPE OF SCREEN OR PERFO		,	7 PVC	10 Asbesto	
	Stainless steel	5 Fiberglass	(SR)		pecify)
	Galvanized steel	6 Concrete tile	9 ABS	•	ed (open hole)
Screen or Perforation Openings			d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w		Drilled holes	11 None (open noie)
2 Louvered shutter	, 4 Key punched	7 Torch o	• •	•	
	/	*			
					in to
Screen-Perforated Intervals:	From				ft. toft
	From	ft. to	ft., From		ft. tof
Gravel Pack Intervals:	From 1. 3	ft. to/	ft., From		it. to
	From	ft. to	ft., From	*	ft. to ft
		2 Cement grout	3 Bentonite		
Grouted Intervals: From	3 ft. to /. ご	3 ft., From	ft. to	ft., From	ft. to
What is the nearest source of p	possible contamination:		10 Ft	uel storage	14 Abandoned water well
(1) Septic tank	4 Cess pool	7 Sewage lagoo	on 11 Fe	ertilizer storage	15 Oil well/Gas well
2 Sewer lines	5 Seepage pit	8 Feed yard	12 In	secticide storage	16 Other (specify below)
3 Lateral lines	6 Pit privy	9 Livestock pen		atertight sewer lines	
Direction from well S. o.u.	M. e. a.s. t How	many feet 6) Wa	ter Well Disinfected? Yes	X No
					: If yes, date sample
was submitted					
If Yes: Pump Manufacturer's na	me . 5.7.A. R.	1. T.E	Model No 8	HP 1/2	Volts 230
Depth of Pump Intake	50	ft.	Pumps Capacity rated	at 1.2	
Type of pump:	Submersible 2			entrifugal 5 Recip	9
6 CONTRACTOR'S OR LAND	OWNER'S CERTIFICATI				ged under my jurisdiction and was
completed on U. 4. /y.		. month 1.3	dav	79	• •,
and this record is true to the be			•		уеа
This Water Well Record was co					was under the huster-
	,		y (signature)	e day paven	
	55011 -0	LITHOLOGI		ROM TO	LITHOLOGIC LOG
J LOCATE WELL'S LOCATION WITH AN "X" IN SECTION	14		· · · · · · · · · · · · · · · · · · ·	TOW TO	LITHOLOGIC LOG
BOX:		tine bro	nyn Sand		
N		sandy c	Lay		
ī [·	21 49	tine, 5	and		
1 1	49 54	Sandy	Clay,		
NW NE	54 68	tine,	sand		
₹ W 1 E	68 70	Sandy	clay		
		/	/		
SW SE					
<u> </u>					
S I 1 Mile 1					
ELEVATION:					
Depth(s) Groundwater Encounter	ered 1 /8 # 4) # 2	ft A f	(1100.0.000	ond sheet if needed)
INSTRUCTIONS: Use typewrite	r or ball point pen please	press firmly and PRINT	clearly Please fill in bl	anks underline or circle th	ond sneet if needed) e correct answers. Send top three
copies to Kansas Department of	Health and Environment, [Division of Environment, V	Vater Well Contractors,	Topeka, KS 66620. Send of	ne to WATER WELL OWNER and
retain one for your records.		-			