	· · · · · · · · · · · · · · · · · · ·			82a-1212		•
LOCATION OF WAT	_	on N 14 SE 14 N	E 1/4 Section Numb		p Number	Range Number
County: Keno Distance and direction		1/4 SE 1/4 Notice that the street address of well if located		<u> </u>	5 s	R <b>5</b> E
3401	1 A-HL	reet	within City?			
WATER WELL OW	NER: Eaton Corp	poration				
	# : Eaton Cen	ter	1-2 A		-	on of Water Resource
City, State, ZIP Code	: Geverana	, Ohio 44114-1	504	Applic	ation Number:	
J LOCATE WELL'S LO AN "X" IN SECTION		OF COMPLETED WELL				
AN X 114 OLO 1101	Depth(s)	Groundwater Encountered 1.				
ī   !	WELL'S S	STATIC WATER LEVEL				
NW	NE	Pump test data: Well water				
'j'	Est. Yield	gpm: Well water				
w   1	Bore Hole	Diameter	<b>30.0</b> f	ft., and	in. to	
₹" !	I WELL WA	TER TO BE USED AS: 5	Public water supply	8 Air conditio	ning 11 Injed	tion well
ī	1 Doi	mestic 3 Feedlot 6	Oil field water supply	9 Dewatering	12 Othe	r (Specify below)
'''	, , ,		Lawn and garden only			
	Was a che	emical/bacteriological sample su	bmitted to Department	? Yes <b>\</b> No.	; If yes, mo/	day/yr sample was sub
S	mitted		!	Water Well Disinf	ected? Yes	No V
TYPE OF BLANK C	ASING USED:	5 Wrought iron	8 Concrete tile	CASING	JOINTS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify be	elow)	Welded	٠
<b>2</b> )•vc	4 ABS	7 Fiberglass			Threaded.	
Blank casing diameter	<b>40</b> in. to	0 ft., Dia	in. to	ft., Dia	in. to	ft.
	and surface12					
TYPE OF SCREEN OF	R PERFORATION MATERI	AL:	<b>O</b> PVC	10	Asbestos-cement	•
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11	Other (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12	None used (open h	ole)
SCREEN OR PERFOF	RATION OPENINGS ARE:	5 Gauzeo	d wrapped	8 Saw cut	11	None (open hole)
1 Continuous slot	t 3Mill slot	6 Wire w	rapped	9 Drilled ho	les	
2 Louvered shutte	er 4 Key punched	7 Torch o		10 Other (sp	ecify)	
SCREEN-PERFORATE	D INTERVALS: From.	<b>j.0.0</b> ft. to	.30.0ft., i	From	ft. to	
	From.	ft. to	<u> </u>	From	ft. to	
GRAVEL PAG	CK INTERVALS: From.	ft. to	30.0 ft. 1	From	ft. to	
	From	ft. to		From	· .	ft.
6 GROUT MATERIAL	: Neat cement	2 Cement grout	Bentonite			
Grout Intervals: From	n	C ft., From		ft., Fror	n <b>.</b> ft	. to
What is the nearest so	urce of possible contamina			vestock pens		oned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fu	uel storage	15 Oil we	II/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoo		ertilizer storage		(specify below)
3 Watertight sew	er lines 6 Seepage pit	9 Feedyard		secticide storage	Salvent:	Horage
Direction from well?	North	·	How	many feet?	~ 750	J
FROM TO		OGIC LOG	FROM TO		PLUGGING INTER	RVALS
0 7.0	Silty Clan: Da	xx Grenish Bron	m	,		
7.0 9.0	Sandy Clay:	Light Brown				
9.0 20.0	Silty Sand: (	rentsh Brown to				
	Light Brow	nJ.				
20.0 30.0	Sant! Light	fellowish Brown				
	7					
			,			·
	A	100000000000000000000000000000000000000				
, , , , , , , , , , , , , , , , , , , ,	Growt and Cazin	ng variance.				
	granted 11/22/1	by Darry				
	Plumanon	wirg!				
	I HUNNING I					
J						
7 CONTRACTOR'S C	R LANDOWNER'S CERTI	FICATION: This water well wa	(1) constructed, (2) r	econstructed, or	(3) plugged under m	y jurisdiction and was
1 CONTINACTOR'S C	10 17 -00					
completed on (mo/day/	year) <b>!.0:-!.</b> Z <b>3</b> .8.				//	dge and belief. Kansas
completed on (mo/day/ Water Well Contractor's	year) <b>(0-17-88</b> . s License No 4.96	This Water We	Il Record was complete	ed on (mo/day/yr)	//	dge and belief. Kansas
completed on (mo/day/water Well Contractor's under the business nar	year)		Il Record was complete by (sig	ed on (mo/day/yr) gnature)	and la	nus