

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <b>RENO</b>		<b>SW 1/4 NW 1/4 NE 1/4</b>	<b>16</b>	T <b>23</b> S	R <b>S</b> W
Distance and direction from nearest town or city street address of well if located within city? <b>West of plant</b>					
2 WATER WELL OWNER: <b>Eaton Corp.</b>					
RR#, St. Address, Box # : <b>3401 E. 4th</b>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code : <b>Hutchinson, KS 67501</b>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <b>23</b> ft. ELEVATION: <b>1520.07</b>			
		Depth(s) Groundwater Encountered <b>1</b> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <b>15</b> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <b>B</b> in. to <b>27</b> ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes. No. <b>X</b> If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No <b>X</b>			
5 TYPE OF BLANK CASING USED:					
1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued Clamped 2 PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded <b>X</b> 7 Fiberglass    Threaded <b>X</b>					
Blank casing diameter <b>2</b> in. to <b>10</b> ft., Dia. <b>69</b> in. to ft., Dia. <b>154</b> in. to ft.					
Casing height above land surface <b>36</b> in., weight <b>69</b> lbs./ft. Wall thickness or gauge No. <b>154</b>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    10 Asbestos-cement 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole) 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes 7 Torch cut    10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <b>10</b> ft. to <b>23</b> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <b>6</b> ft. to <b>23</b> ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From <b>0</b> ft. to <b>3</b> ft., From <b>3</b> ft. to <b>6</b> ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) 13 Insecticide storage					
Direction from well? <b>NA</b> How many feet? <b>NA</b>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<b>0</b>	<b>11</b>	<b>Clay</b>			
<b>11</b>	<b>17.5</b>	<b>Sand - silty med. gm</b>			
		<b>Sand - med to coarse</b>			
<b>17.5</b>	<b>60.8</b>	<b>Sand - silty, fine to coarse</b>			
		<b>w/ gravel</b>			
<b>60.8</b>	<b>61.2</b>	<b>Shale</b>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged and this record is true to the best of my knowledge and belief. Kansas					
completed on (mo/day/year) <b>6/14/93</b>					
Water Well Contractor's License No. <b>102 W</b> This Water Well Record was completed on (mo/day/yr) <b>6/14/93</b>					
under the business name of <b>Layne, Inc.</b> by (signature) <b>Steven R. Mitchell</b>					

