

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: RENO 78		SW 1/4 NE 1/4 NW 1/4		17		T 23 S		R 5 E	
Distance and direction from nearest town or city street address of well if located within city?									
Carey Salt Plant									
2 WATER WELL OWNER: Carey Salt									
RR#, St. Address, Box #: P.O. Box 1728									
City, State, ZIP Code: Hutchinson, KS 67504-1728									
WELL #4 Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4 DEPTH OF COMPLETED WELL: 57 ft. ELEVATION:									
Depth(s) Groundwater Encountered 1. 22 ft. 2. ft. 3. ft.									
WELL'S STATIC WATER LEVEL 22 ft. below land surface measured on mo/day/yr 3-27-88									
Pump test data: Well water was N/A ft. after hours pumping gpm									
Est. Yield gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter 8 in. to 58 ft., and in. to ft.									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only 13 Observation well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes X No									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
XXVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded									
Blank casing diameter 4 in. to 48 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: XXXVC									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped XXXVC cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 48 ft. to 58 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 20 ft. to 58 ft., From ft. to ft.									
6 GROUT MATERIAL: XXXVC cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage SALT PLANT									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG									
0 3 TS									
3 12 1 CLAY									
12 22 8 MED SAND									
22 23 1 CLAY									
23 57 8 MED SAND									
57 19 SHALE									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-27-88 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 451 This Water Well Record was completed on (mo/day/yr) 3-28-88									
under the business name of Craig Haldeman Well Drilling by (signature) Mike Flowers									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									