

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Reno</u>		<u>NE 1/4 NE 1/4 SE 1/4</u>	<u>17</u>	<u>T 23 S</u>	<u>R 5 E (W)</u>
Distance and direction from nearest town or city street address of well if located within city? <u>50 HW &amp; Airport Rd 1 No 1 W 1/2 N W side</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>1800 Carey Blvd</u>		Application Number:			
City, State, ZIP Code : <u>Hutch KS</u>		<u>B-11</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>58</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered <u>9</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>9</u> ft. below land surface measured on mo/day/yr <u>3-7-90</u>			
		Pump test data: Well water was <u>NA</u> ft. after hours pumping gpm			
		Est. Yield gpm: Well water was <u>58</u> ft. after hours pumping gpm			
		Bore Hole Diameter <u>8</u> in. to <u>58</u> ft. and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 <u>Monitoring well</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>X</u> No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel    3 RMP (SR)		Welded			
2 PVC    4 ABS		Threaded <u>X</u>			
Blank casing diameter <u>4</u> in. to <u>53</u> ft. Dia		in. to ft. Dia in. to ft.			
Casing height above land surface <u>24</u> in., weight <u>Sec 80</u> lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC    10 Asbestos-cement			
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    11 Other (specify)					
2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 <u>Saw cut</u> 11 None (open hole)			
1 Continuous slot    3 Mill slot    6 Wire wrapped    9 Drilled holes					
2 Louvered shutter    4 Key punched    7 Torch cut    10 Other (specify)					
SCREEN-PERFORATED INTERVALS:		From <u>53</u> ft. to <u>58</u> ft. From ft. to ft.			
GRAVEL PACK INTERVALS:		From <u>51</u> ft. to <u>58</u> ft. From ft. to ft.			
6 GROUT MATERIAL:		4 Other			
1 Neat cement    2 Cement grout    3 Bentonite					
Grout intervals: From <u>0</u> ft. to <u>51</u> ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens    14 Abandoned water well			
1 Septic tank    4 Lateral lines    7 Pit privy    11 Fuel storage    15 Oil well/Gas well					
2 Sewer lines    5 Cess pool    8 Sewage lagoon    12 Fertilizer storage    16 Other (specify below)					
3 Watertight sewer lines    6 Seepage pit    9 Feedyard    13 Insecticide storage					
Direction from well? <u>West</u>		How many feet? <u>50'</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	TS			
3	10	Clay			
10	32	med sand			
32	38	Clay			
38	58	med sand			
58		Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-7-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>451</u> This Water Well Record was completed on (mo/day/yr) <u>4-3-90</u> under the business name of <u>Craig Halekman Drilling</u> by (signature) <u>Mike Flaws</u>					