

1 LOCATION OF WATER WELL:	Fraction <u>SEE ATTACHED</u> <u>SE</u>	Section Number <u>18</u>	Township Number <u>23</u> S	Range Number <u>5</u> E
County: <u>RENO</u>				
Distance and direction from nearest town or city street address of well if located within city?				

2 WATER WELL OWNER: TECH INC
 RR#, St. Address, Box #: 1300 EAST AVE A
 City, State, ZIP Code: HUTCHINSON, KANSAS 67501
 Board of Agriculture, Division of Water Resources
 Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

NW	NE
SW	SE

4 DEPTH OF COMPLETED WELL: 33 ft. ft. ELEVATION: 7 ft. ft.
 Depth(s) Groundwater Encountered 1. 7 ft. ft. 2. 7 ft. ft. 3. 7 ft. ft.
 WELL'S STATIC WATER LEVEL 7 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 7 ft. after 7 hours pumping 7 gpm
 Est. Yield 7 gpm: Well water was 7 ft. after 7 hours pumping 7 gpm
 Bore Hole Diameter 7 in. to 7 ft., and 7 in. to 7 ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes Yes No No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Yes Clamped No
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded No
 2 PVC 4 ABS 7 Fiberglass Threaded No
 Blank casing diameter 1.2 in. to 33 ft., Dia 1.2 in. to 33 ft., Dia 1.2 in. to 33 ft.
 Casing height above land surface 1.2 in., weight 1.2 lbs./ft. Wall thickness or gauge No. 1.2

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) NA
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched NA 7 Torch cut 10 Other (specify) NA

SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.
 GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other NA
 Grout Intervals: From 7 ft. to 0 ft., From 7 ft. to 0 ft., From 7 ft. to 0 ft., From 7 ft. to 0 ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage 1
 Direction from well? NORTH How many feet? 10

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>115</u>	<u>115</u>	<u>CHLORINATED SAND</u>
			<u>30 FT.</u>	<u>33 FT.</u>	<u>CHLORINATED SAND</u>
			<u>7 FT.</u>	<u>30 FT.</u>	<u>SAND</u>
			<u>7 FT.</u>	<u>GROUND</u>	<u>CONCRETE</u>

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) JANUARY 29, 1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 3/27/92 This Water Well Record was completed on (mo/day/year) 3/27/92
 under the business name of TECH INC. by (signature) Manie Lanning