LOCATION OF W				Form WW	C-5 KSA 82	4-1212	
	ATER WELL:	Fraction			Section Number	Township Number	_
ounty:	Reno			NE 1/4	19	T 23S S	S R 5W E/W
	on from nearest town	•		ated within city	/?		
609 East	"G", hutc	hinson, l	Ks. 67501				
WATER WELL C	WNER Cargil	1 Salt Co	ompany				
	lox # :PO Box	1403				Board of Agricult	ture, Division of Water Resource
ity, State, ZIP Cod	:Hutchi	nson, Ks	. 67504-1	403		Application Num	ber:
LOCATE WELL'S	LOCATION WITH	DEPTH OF C	OMPLETED WELL		ft. ELEVA	ATION:	
AN "X" IN SECTI	ON BOX:	_ Depth(s) Ground	water Encountered	1	ft.	2	. ft. 3
	1	WELL'S STATIC	WATER LEVEL	23!9." f	. below land su	rface measured on mo/da	ay/yr9/.17./9.1
1 1	XNE						rs pumping gpm
NW	NE	Est. Yield	gpm: Well w	vater was	ft. a	after hou	rs pumping gpm
		Bore Hole Diame	eter3.0in.	to		and	in. to
w   -	1 1	WELL WATER T	O BE USED AS:	5 Public w	ater supply	8 Air conditioning	11 Injection well
1 1		1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12 Other (Specify below)
sw -	-  SE	2 Irrigation	4 Industrial	7 Lawn ar	d garden only	10 Monitoring well,	Supply
1 1		Was a chemical/b	pacteriological samp				f yes, mo/day/yr sample was sul
		mitted			•	ater Well Disinfected? Ye	•
TYPE OF BLANK	CASING USED:	· · · · · · · · · · · · · · · · · · ·	5 Wrought iron	8 Co	ncrete tile	CASING JOINTS:	Glued X Clamped
1 Steel	3 RMP (SR	1)	6 Asbestos-Ceme		er (specify belo		Welded
2 PVC	4 ABS	,	7 Fiberglass		` '	•	Threaded
		in. to 5.4	•				in. to ft
							ge No FDR . 3.2 . 5
	OR PERFORATION		,		PVC	10 Asbestos-	
1 Steel	3 Stainless		5 Fiberglass	•	RMP (SR)		ecify)
2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			• •	d (open hole)
	ORATION OPENING			auzed wrapped		8 Saw cut	11 None (open hole)
1 Continuous				ire wrapped		9 Drilled holes	(0,000,000,000,000,000,000,000,000,000,
2 Louvered sh		y punched		orch cut			
	TED INTERVALS:						. ft. toft
				o	ft Fro	om	. ft. to
GRAVEL F	PACK INTERVALS:						. ft. toft . ft. toft
GRAVEL F	PACK INTERVALS:		74 ft. to	o	1.9 ft., Fro	om	ft. toft
GRAVEL F		From From		o	1.9 ft., Fro	om	ft. to
GROUT MATERI	AL: 1 Neat co	From From	74 ft. to ft. to 2 Cement grout	o	1.9 ft., Fro ft., Fro	om	ft. toft <u>ft. to</u> ft Lug
GROUT MATERI	AL: 1 Neat corrom	From From ement ft. to \( \O \).	74 ft. to ft. to 2 Cement grout	o	1.9 ft., Fro ft., Fro intonite 4 t. to	omom Other HolePi	ft. to
GROUT MATERI Grout Intervals: F What is the nearest	AL: 1 Neat coron	From From ement ft. to Q contamination:	74 ft. to  ft. to  ft. to  2 Cement grout ft., From	3 Be	1.9 ft., Fro ft., Fro intonite 4 t. to	om	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank	AL: 1 Neat coron	From  From ement ft. to 0 contamination:	74 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	om	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat coron	From  From ement ft. to 0 contamination: al lines pool	2 Cement grout  ft. to  2 Cement grout  7 Pit privy 8 Sewage	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	om	ft. to
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	AL: 1 Neat coron	From  From ement ft. to 0 contamination: al lines pool	74 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	om	ft. to
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat coron	FromQ ement ft. toQ contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	AL: 1 Neat or or	FromQ.  From  ement  ft. toQ.  contamination:  al lines  pool  age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination:  al lines  pool  age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Front Intervals: F What is the nearest Septic tank Septic tank Septic tank Watertight s Watertight s Watertight TO O O O O O O O O O O O O O O O O O O	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Front Intervals: F What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight s Direction from well? FROM TO O 3 3 11 11 62	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Front Intervals: F What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight s Direction from well? FROM TO O 3 3 11 11 62	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI irout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI irout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI irout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s /irection from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72	AL: 1 Neat or rom	FromQ.  From  ement  ft. toQ.  contamination: al lines  pool age pit  LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage 9 Feedyard	3 Be	1.9 ft., Fro ft., Fro ntonite 4 t. to	Other Hole.Pi ft., From stock pens storage dizer storage cticide storage any feet? 1 50	ft. to
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72 72 74	AL: 1 Neat or rom	From Q Q contamination: al lines pool age pit  LITHOLOGIC		3 Be	1.9 ft., Fro	om Other Hole. Proceedings of the stock pens storage dizer storage cticide storage Any feet? 1 50 PLUGGI	ft. to ft ft. to ft lug
GROUT MATERI Frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72 72 74  CONTRACTOR'S	AL: 1 Neat or rom	From Grown ement  ft. to Q contamination: al lines pool age pit  LITHOLOGIC  Grave1		3 Be 3 Be FROM	1.9 ft., Fro	om	ft. to ft. to ft. tug
GROUT MATERI Frout Intervals: F  That is the nearest  1 Septic tank 2 Sewer lines 3 Watertight s  FROM TO  0 3 3 11 11 62 62 64 64 68 68 72 72 74  CONTRACTOR'S  Completed on (mo/d	AL: 1 Neat or rom	From From From From From From From From		alagoon di FROM	1.9 ft., Fro	om Other Hole. Pi ft., From stock pens storage dizer storage cticide storage PLUGGI  Ponstructed, or (3) plugge ord is true to the best of p	ft. to ft  ft. to ft  Lug
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72 72 74  CONTRACTOR'S completed on (mo/d //ater Well Contract	AL: 1 Neat or rom 19	From From From From From From From From		alagoon di FROM	1.9 ft., Fro	om Other HoleP ft., From stock pens storage dizer storage cticide storage any feet? 1 50 PLUGGI	ft. to ft  ft. to ft  Lug
GROUT MATERI rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s irection from well? FROM TO 0 3 3 11 11 62 62 64 64 68 68 72 72 74  CONTRACTOR'S ompleted on (mo/d /ater Well Contract	AL: 1 Neat or rom	From From From From From From From From		alagoon di FROM	1.9	Other Hole. Proceedings of the stock pens storage dizer storage cticide storage any feet? 1 50 PLUGGI	ft. to ft

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.