			R WELL RECORD	Form WWC-5				
LOCATION OF WA	TER WELL:	Fraction		-	tion Numbe		Number	Range Number
County: Kent)	NE 14	NW 1/4 NE	1/4	28	<u> </u>	<u>3</u> s	R 5 BW
Distance and direction	from nearest tow	· ,	ddress of well if locate	•		2105		e . e .
1	1 mi h		E of H	utch in	Jon '	- 3105	E 50	53
WATER WELL OW	/NER:	'Scott	Crane					
RR#, St. Address, Bo	x#:	3105	5 56 54			Board	of Agriculture,	Division of Water Resources
City, State, ZIP Code	:	Hutch	KS 675	-02		Applica	ation Number:	
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	83	ft. ELEV	ATION:		
	X I NE	WELL'S STATIC Pum	WATER LEVEL	2. 2. ft. b er was	elow land se	urface measured after	l on mo/day/yr hours pu	
		Est. Yield	gpm: Well wate	er was	ft.	after	hours pu	mping
≝ w <mark> !</mark>	F			8.5.		and		. to
		WELL WATER T	O BE USED AS:	5 Public wate	er supply	8 Air condition	ning 11	Injection well
	1	Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
		2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring	well	
		Was a chemical/	bacteriological sample	submitted to D	epartment?	YesNo.	; If yes	, mo/day/yr sample was sub
I	S	mitted			Ŵ	ater Well Disinf	ected? Yes 🗡	No
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr				d Clamped
Steel	3 RMP (SI	R)	6 Asbestos-Cement	9 Other	(specify bel			ed
O VC	4 ABS		7 Fiberglass					aded
Blank casing diameter		in to 63	ft Dia					in. to
Casing height above	and surface	12	in weight 3	25	lbr			lo /6 . 0
TYPE OF SCREEN C				-				
							Asbestos-cem	
1 Steel	3 Stainless		5 Fiberglass		1P (SR)			
2 Brass	4 Galvaniz		6 Concrete tile	9 AE	S	-	None used (or	
SCREEN OR PERFO				ed wrapped		Baw cut		11 None (open hole)
1 Continuous sk		lill slot	6 Wire	wrapped		9 Drilled ho	les	
2 Louvered shut	ter 4 K	ey punched	7 Torch			10 Other (sp	ecify)	
SCREEN-PERFORAT	ED INTERVALS:	From	6.3 ft. to .	8.3	ft., Fr	rom	ft.	toft.
		From	ft. to .		ft., Fr	rom	ft.	toft.
GRAVEL PA	CK INTERVALS:	From	15 ft. to .	. 40	ft., Fr	rom	ft.	to 85 ft.
		From	ft. to		ft., Fr			
6 GROUT MATERIA	L: _1 Neat of	cement	2 Cement grout	(3) Sento	onite	4 Other		
Grout Intervals: Fro	m 3	. ft. to 	ft., From	10 ft.	to	5 ft., Fron	n .	ft. to
What is the nearest s	ource of possible	contamination:			10 Live	estock pens	14 A	bandoned water well
DSeptic tank	Pro posed Later	ral lines	7 Pit privy		11 Fue	el storage	15 C	Dil well/Gas well
2 Sewer lines	5 Cess		8 Sewage lag	oon		tilizer storage		Other (specify below)
	ver lines 6 Seep	•	9 Feedvard	0011		ecticide storage		(opeony below)
Direction from well?	SE	age pr	5 Teedyard				~~ -	
FROM TO		LITHOLOGIC	106	FROM		any feet?	PLUGGING	NTERVALS
0 3	EE			THOM	10		1 Loading	
	F San				<u> </u>			
3 16	Bryc	+ Clay						· · · · · · · · · · · · · · · · · · ·
16 34	F San	y-Joh h	ayers Clay					
54 57	Brto	ar Clay						
57 84	Br Sai	nd-SM L	ayers Clay ayers Clay					
84 85	Br ch	ny						
		/						
			······································					
						+		
					1			
	1			-	L			
			ION: This water well w	vas (D) constru	ucted, (2) re	constructed, or	(3) plugged un	der my jurisdiction and was
completed on (mo/day	/year)	-4-90						nowledge and belief. Kansas
Water Well Contractor		4.4.7.		Vell Record w	as complete	d on (mo/day/yr)		-90.
under the business na	ame of	liller Dr	illeng		by (sigr	nature)	ami	lles
INSTRUCTIONS: Use				Please fill in blanks			ers. Send top three	copies to Kansas Department
			20-7320. Telephone: 913-296-					