

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Reno	Fraction SW 1/4 SE 1/4 SW 1/4	Section number 34	Township number T 23 S R 5 E W	Range number 5
2. Distance and direction from nearest town or city: 2 1/2 SE of Hutchinson, Ks.			3. Owner of well: Don Miller RT 4 Hutchinson, Ks. 67501			
Street address of well location if in city:			City, state, zip code:			
4. Locate with "X" in section below:			Sketch map:			
<div style="text-align: center;"> </div>			6. Bore hole dia. 10 in. Completion date 5-11-77 Well depth 25 ft.			
5. Type and color of material			7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug			
			<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary 8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Topsoil black Clay gray Sand + gravel			9. Casing: Material Plst Height: Above or below			
			Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight 1.95 lbs./ft. Dia. 6 in. to 25 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 200			
			10. Screen: Manufacturer's name J-L			
			Type RMP Dia. 6"			
			Slot/gauze .030 Length 3'			
			Set between 18 ft. and 25 ft.			
			Gravel pack? <input checked="" type="checkbox"/> Size range of material E-1/2"			
			11. Static water level: 7.5 ft. below land surface Date mo./day/yr.			
			12. Pumping level below land surfaces:			
			12.5 after 1/2 hrs. pumping 22 g.p.m.			
			ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m.			
			Estimated maximum yield 35 g.p.m.			
			13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date mo./day/yr.			
			14. Well head completion: 12 Inches above grade			
			15. Well grouted? yes			
			With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete			
			Depth: From 0 ft. to 10 ft.			
			16. Nearest source of possible contamination:			
			ft. 55 Direction S Type septic			
			Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
			17. Pump: Not installed			
			Manufacturer's name Aere motor			
			Model number SD12 HP 1/2 Volts 230			
			Length of drop pipe 15 ft. capacity 12 g.p.m.			
			Type:			
			<input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine			
			<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating			
			<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
18. Elevation:			19. Remarks: Water is salty			
Topography:			20. Water well contractor's certification:			
<input type="checkbox"/> Hill			This well was drilled under my jurisdiction and this report			
<input type="checkbox"/> Slope			is true to the best of my knowledge and belief.			
<input type="checkbox"/> Upland			Miller Water Well 137			
<input checked="" type="checkbox"/> Valley			Business name Hutchinson, Ks. License No.			
			Address 65-71			
			Signed Joe Miller Date 5-11-77			
			Authorized representative			

23
 5
 34
 1/4 1/4 1/4
 SUSESW