			WELL RECORD	Form WWC-	5 KSA 82a				
LOCATION OF W	ATER WELL:	Fraction			ction Number	·	mber	Range Number	
	eno	SE 1/4	SW 1/4	NE 1/4	35	T 23	S	R 5W E/	/W
stance and direction	on from nearest town of	or city street add	ress of well if loo	cated within city?	-	<del>-</del>			
4 E, 1½ S	of Hutchinson	, Kansas							
WATER WELL O	WNER:	H 30 Dr	illing, In	C.					
R#, St. Address, E	lox # ·	251 N. I	Mater. Sui	te 10		Board of Ac	riculture [	Division of Water Reso	ource
ity, State, ZIP Code						•		Unknown	
		MICHIGA	, Italibab	1.5	. = =	- Application	mounder.	0122101111	
AN "X" IN SECTION									
	N De								
1 !		ELL'S STATIC W	ATER LEVEL .	. 10 ft.	below land sur	face measured on	mo/day/yr	7/3/81	
NW	NE	Pump to	est data: Well	water was	ft. a	fter	hours pur	mping	gpm
\w	Es	st. Yield 6.0 .	. gpm: Well	water was	ft. a	fter	hours pur	mping	gpm
l i	xi Bo	ore Hole Diamete	r8in.	to .45		and	in.	to	ft.
w <del>i</del>		ELL WATER TO				8 Air conditioning			
l i	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1 Domestic				_		Other (Specify below)	
SW -	-  SE	2 Irrigation				-			
	1 !	•							
<u> </u>			cteriological sam	pie submitted to	•		-	mo/day/yr sample was	s sub
		itted				ter Well Disinfected			
TYPE OF BLANK			Wrought iron	8 Cond	rete tile	CASING JOI		Clamped	
1 Steel	3 RMP (SR)	€	Asbestos-Cem	ent 9 Othe	r (specify belov	w)	Weld	ed <i>.</i>	
2 PVC	_ 4 ABS	7	' Fiberglass				Threa	aded	
lank casing diamet	er 5 in.	. to . 2.5	ft., Dia	<sub>.</sub> in. 1	o <i>.</i>	ft., Dia		in. to Sch• 40	ft.
asing height above	land surface		weight	2.8	Ibs./	ft. Wall thickness o	r gauge N	sch• 40	<b>.</b> .
			, <b>.</b>	7 P			estos-ceme		
YPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel			5 Fiberglass 8 RMP (SR						
2 Brass			-	9 A		12 Non			
	4 Galvanized						٠, ٠	,	
	ORATION OPENINGS			auzed wrapped		( The second sec		11 None (open hole)	)
1 Continuous s			6 V	Vire wrapped		9 Drilled holes			
2 Louvered sh	utter 4 Key	punched	_ ~	orch cut					
CREEN-PERFORA	TED INTERVALS:	From						o	
		From	ft. t	to	ft., Fro	m	ft. t	o	ft.
GRAVEL F	PACK INTERVALS:	From	.10 ft.	to . 45	ft., Fro	m	ft. t	o	ft.
_		From				m		0	
GROUT MATERI	AL: 1 Neat cen	ment 2	Cement grout	3 Ben	tonite 4	Other			
rout Intervals: F	romQft.					ft From		ft. to	ft.
	source of possible co		,,					bandoned water well	
	•		7 Pit privy	,		storage			
1 Septic tank 4 Lateral li			8 Sewage lagoon		12 Fertilizer storage			16 Other (specify below)	
2 Sewer lines	5 Cess po		_	-		•	10 0	ritler (specify below)	
_	ewer lines 6 Seepag		9 Feedya	ra		cticide storage			
Direction from well?	Т	South		1 ====:		illy loct:	ITUO O	10.1.00	
FROM TO 10	Clay	LITHOLOGIC LO	DG	FROM	то		LITHOLOG	IC LOG	
I		1							
10 45	Sand and Gr	aver							
	+				+				
	+								
					1				
[									
								der my jurisdiction and	
	ay/year)							owledge and belief. Ka	ansa
Vater Well Contract	or's License No		6 This Wat	ter Well Record	vas completed	on (mo/day/yr)	8/25/8	1	
nder the business								1	
	name of	Kellvs	Water Well	ls	by (signa	ature) / 20	سياروه	~	
NSTRUCTIONS: U	se typewriter or ball po	int pen, <i>PLEĂSE</i>		Yand PRINT cle	arly. Please fill		or circle th	e correct answers. Sen	
NSTRUCTIONS: Ushree copies to Kans	se typewriter or ball po	int pen, <i>PLEĂSE</i>	PRESS FIRML	Yand PRINT cle	arly. Please fill	in blanks, underline	or circle th	e correct answers. Sen . Send one to WATER \	