

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Reno		NW 1/4 NW 1/4 NW 1/4		16		T 23 S		R 5 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
315' South from the SE corner of E. 4th St. & N. Halstead Rd.									
2 WATER WELL OWNER: Hamilton Roofing									
RR#, St. Address, Box # : 301 N. Halstead									
City, State, ZIP Code : Hutchinson, Kansas									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
4 DEPTH OF COMPLETED WELL: 20 ft. ELEVATION:									
Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft.									
WELL'S STATIC WATER LEVEL 16.03 ft. below land surface measured on mo/day/yr									
Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter 7.5/8 in. to 20 ft. and in. to ft.									
WELL WATER TO BE USED AS:									
5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No X									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded X									
Blank casing diameter 2 in. to 10 ft., Dia. in. to ft., Dia. in. to ft.									
Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No. sch. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From 8 ft. to 20 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 6 ft., From 6 ft. to 8 ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Northwest How many feet? 310									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 1 Clay, ext slty, lt brn, org rich w. rootlets, damp									
1 7 Clay, med brn, v slty, mod plstc, damp									
7 13 Clay, med gry, ext. slty, v plstc, moist									
13 17 Clay, v drk gry, v slty, moist									
17 20 Snd, f-c grnd, sl-mod grvl, prly srted, v drk gry									
MW11- Flushmount									
Don Taylor									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-20-94 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 10-24-94									
under the business name of GeoCore Services, Inc. by (signature) Don Taylor									