

1 LOCATION OF WATER WELL:		Fraction NW 1/4 NE 1/4 NE 1/4		Section Number 23	23	Township Number 23	S	Range Number 5W	E/W
County: Reno									
Distance and direction from nearest town or city street address of well if located within city? SE. cor. Town 9 4th, 15'S. of 4th Ave, 5'E of Town, Hutchinson									
2 WATER WELL OWNER: City of Hutchinson									
RR#, St. Address, Box #: P.O. Box 1567									
City, State, ZIP Code: Hutchinson, KS 67504-1567									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 22.1 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 16.28 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 16.05 ft. below land surface measured on mo/day/yr 10/28/94							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 3 in. to ft., and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Perimeter							
		Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes No X							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 1.75 in. to ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 2.7 in., weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 19.1 ft. to 22.1 ft.									
GRAVEL PACK INTERVALS: From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 3 ft. to 0 ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage NA									
Direction from well? NA									
How many feet? NA									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0.0 5.0 Silty Clay									
5.0 22.1 Sand									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-28-94 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 11-17-94									
under the business name of GSI by (signature) [Signature]									