

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Reno 078		Fraction NW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$		Section Number 18	Township Number 23 S	Range Number W 4																														
Distance and direction from nearest town or city street address of well if located within city? 109 Clay																																				
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Bridgeman Oil, Co. 109 Clay Hutchinson, Kansas 67501 Board of Agriculture, Division of Water Resources Application Number 1527.6																																		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: 11/12/95 ft.																																		
		Depth(s) Groundwater Encountered 1. 18. ft. 2. 11/12/95 ft. 3. 11/12/95 ft. WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr Pump test data: Well water was NA ft. after NA hours pumping NA gpm Est. Yield NA gpm Well water was 25 ft. after NA hours pumping NA gpm Bore Hole Diameter NA in. to NA ft., and NA in. to NA ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted X Water Well Disinfected? Yes No																																		
		5 TYPE OF BLANK CASING USED:																																		
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued.....Clamped..... 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X 7 Fiberglass Threaded..... Blank casing diameter 2 in. to 15 ft., Dia 2 in. to 15 ft., Dia 2 in. to 15 ft. Casing height above land surface 2 in., weight 2 lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)..... 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)..... SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft., From 15 ft. to 25 ft., From 15 ft. to 25 ft. GRAVEL PACK INTERVALS: From 13 ft. to 25 ft., From 13 ft. to 25 ft., From 13 ft. to 25 ft.																																		
		6 GROUT MATERIAL:																																		
Grout Intervals: From 0 ft. to 11 ft., From 11 ft. to 13 ft., From 13 ft. to 13 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 6 Other (specify below) Direction from well? NA How many feet? 0																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>8.5</td> <td>Clay, Light Brown</td> <td></td> <td></td> <td>MW1</td> </tr> <tr> <td>8.5</td> <td>11</td> <td>Clay, Dark Gray</td> <td></td> <td></td> <td>GeoCore # 97 Flush-mount Cover</td> </tr> <tr> <td>11</td> <td>22</td> <td>Sand, Dark Gray</td> <td></td> <td></td> <td>KDHE # 02078192 Tag # 109853</td> </tr> <tr> <td>22</td> <td>25</td> <td>Sand, Light Brown</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	8.5	Clay, Light Brown			MW1	8.5	11	Clay, Dark Gray			GeoCore # 97 Flush-mount Cover	11	22	Sand, Dark Gray			KDHE # 02078192 Tag # 109853	22	25	Sand, Light Brown			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																															
0	8.5	Clay, Light Brown			MW1																															
8.5	11	Clay, Dark Gray			GeoCore # 97 Flush-mount Cover																															
11	22	Sand, Dark Gray			KDHE # 02078192 Tag # 109853																															
22	25	Sand, Light Brown																																		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-24-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 2/13/95 under the business name of GeoCore Services, Inc. by (signature) Dee R. H.																																				