

P-7 2211057 WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Reno Fraction: SW 1/4 NW 1/4 NE 1/4 Section Number: 16 Township Number: T 23 S Range Number: R 5 EW

Distance and direction from nearest town or city street address of well if located within city? 1.61K E of Kirby & Leonard; 218' N of Kirby @ Terminus

2 WATER WELL OWNER: RR#, St. Address, Box #: City, State, ZIP Code: City of Hutchinson PO Box 1567 Hutchinson KS 67504-1567 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing section box with X in NW corner]

4 DEPTH OF COMPLETED WELL: 16.6 ft. ELEVATION: 11.70 ft. Depth(s) Groundwater Encountered: 12.31 ft. below land surface measured on mo/day/yr 10-28-94

WELL'S STATIC WATER LEVEL: 12.31 ft. below land surface measured on mo/day/yr 10-28-94

Pump test data: Well water was ... ft. after ... hours pumping ... gpm

Est. Yield ... gpm: Well water was ... ft. after ... hours pumping ... gpm

Bore Hole Diameter: 3 in. to ... ft., and ... in. to ... ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specify below) Piezometer

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped Welded Threaded Flush

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)

Blank casing diameter: 1.75 in. to ... ft., Dia ... in. to ... ft., Dia ... in. to ... ft.

Casing height above land surface: 32.1 in., weight ... lbs./ft. Wall thickness or gauge No. ...

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 6 Wire wrapped 9 Drilled holes

1 Continuous slot 3 Mill slot 7 Torch cut 10 Other (specify)

2 Louvered shutter 4 Key punched

SCREEN-PERFORATED INTERVALS: From 13.6 ft. to 16.6 ft. From ... ft. to ... ft.

GRAVEL PACK INTERVALS: From ... ft. to ... ft. From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 2.0 ft. to 0.0 ft. From ... ft. to ... ft.

What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 15 Oil well/Gas well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 12 Fertilizer storage 16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0.0 5.0 Silty Clay

5.0 16.6 Sand

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-29-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 4-3-95 under the business name of GSI by (signature) Allison M. Iverson

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4