


1 LOCATION OF WATER WELL: County: RENO		Fraction SE 1/4 NW 1/4 NE 1/4	Section Number 12	Township Number T 23 S	Range Number R 6W
Distance and direction from nearest town or city street address of well if located within city? 126 E. 14th, Hutchinson KS 67501					
2 WATER WELL OWNER: Herb Stormont RR#, St. Address, Box #: 126 E. 14th City, State, ZIP Code: Hutchinson KS 67501 Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: 37 ft. ELEVATION: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 14 ft. below land surface measured on mo/day/yr 11/1/95 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial *7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes.....No..... X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement *9 Other (specify below) Welded 7 Fiberglass GALVANIZED Threaded Blank casing diameter 6 in. to ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface 60" below in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) N/A 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 999 10 Other (specify) NA SCREEN-PERFORATED INTERVALS: From 37 ft. to 999 ft., From ft. to ft. GRAVEL PACK INTERVALS: From N/A ft. to N/A ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout *3 Bentonite 4 Other Grout intervals: From 37 ft. to 5'6" ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage *16 Other (specify below) Direction from well? north 13 Insecticide storage HOUSE How many feet? 0					
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG 37' 5'6" Bentonite 5'6" 5' Cement 5' 0' Basement					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and we completed on (mo/day/year) 11/1/95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 11/2/95 under the business name of ADVANCE TERMITE & PEST CONTROL, INC. by (signature) Terry Savoy INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send to three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					