			WAT	ER WELL RECORD	Form WWC-5	KSA 82a	1212		
1 LOCATI	ON OF WAT		Fraction			tion Number	Township Num		Range Number
County:	Ren	0	I NW	4 SE 14 50	W 1/4	2	T 23	S	R 6 EN
Distance a	and direction	from nearest tov	•	address of well if locate	•				
				06 James	<u>'n</u>	Hutch	inson		
2 WATE	R WELL OW		ck McI						
RR#, St.	Address, Box		6 Jam				Board of Agr	iculture, [	Division of Water Resources
<del></del>	, ZIP Code			67502			Application N		
LOCAT	E WELL'S LO	OCATION WITH	4 DÉPTH OF	COMPLETED WELL	40	ft. ELEVA	TION:		
_ AN .X	IN SECTION	BOX:	Depth(s) Groun	dwater Encountered	1	ft. 2		ft. 3	
ī	!	1	WELL'S STATE	C WATER LEVEL	. <b>/2</b> ft. b	elow land surf	ace measured on m	no/day/yr	11-10-95
	NW I	NE	Pun	np test data: Well wat	er was	🕊 ft. at	ter	hours pu	mping <b></b> gpm
	1744	176	Est. Yield	gpm: Well wat	er was	ft. af	ter	hours pu	mping gpm
<u>.</u>	i[		Bore Hole Dian	neter <i>8</i> in. to	<b></b>		ınd	in.	to
ž w F	ı	1	WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air conditioning	11	Injection well
7	I COL	1	<b>€</b> Domestic	c 3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
-	·- SW	SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only	0 Monitoring well .	,	
1		i	Was a chemica	l/bacteriological sample	submitted to De	epartment? Ye	sNo	; If yes,	mo/day/yr sample was sub-
I -	S		mitted			Wat	er Well Disinfected?	Yes 🏃	C No
5 TYPE	OF BLANK C	ASING USED:	-	5 Wrought iron	8 Concre	ete tile	CASING JOIN	TS: Glued	d . 🛵 Clamped
1 St	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	)	Weld	ed
(DP)	/C	4 ABS		7 Fiberglass					nded
Blank casi	ing diameter	<i>5</i>	.in. to <b>. 3</b> . 9	ft., Dia	in. to		ft., Dia		in. to ft.
									0 16.0
•	-	R PERFORATIO			Ø <sub>P</sub> v		10 Asbes		
1 St	eel	3 Stainles:	s steel	5 Fiberglass	_	IP (SR)	11 Other	(specify)	
2 Br	ass	4 Galvaniz	zed steel	6 Concrete tile	9 AB		12 None	used (op	en hole)
SCREEN	OR PERFOR	RATION OPENIN	IGS ARE:	5 Gauz	zed wrapped		@ Saw cut		11 None (open hole)
1 Cc	ontinuous slo	t 3 M	fill slot		wrapped		9 Drilled holes		, , ,
2 Lo	uvered shutt	er 4 K	ey punched	7 Torcl	h cut		10 Other (specify)		
SCREEN-	050500475								
	PERFORATE	ED INTERVALS:	From	3.0 ft. to .	40	ft., Fror	n <i></i>	ft. to	o
	PERFORATE	ED INTERVALS:							o
		ED INTERVALS: CK INTERVALS:	From	ft. to .		ft., Fror	n <i></i>	ft. t	o
			From	ft. to .	43	ft., Fror	า	ft. to	o
(		CK INTERVALS:	From From From	ft. to	43	ft., Fror ft., Fror ft., Fror	1	ft. to	o
6 GROU	GRAVEL PAG	CK INTERVALS:	From From From cement	ft. to .  ft. to .  ft. to .  ft. to .  gt. to  2 Cement grout	4.3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. to	o
6 GROU	GRAVEL PAGE T MATERIAL rvals: Fror	CK INTERVALS:	From From From cement .ft. to	ft. to .  ft. to .  ft. to .  ft. to .  gt. to .  2 Cement grout	4.3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. to	oft. oft. o ft.
6 GROUT Grout Inte What is th	GRAVEL PAGE T MATERIAL rvals: From the nearest so	CK INTERVALS:	From From	ft. to	<b>6</b> Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to	o
6 GROUT Grout Inte What is th	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank	: 1 Neat of no	From From cement .ft. to	ft. to  7 Pit privy	8 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. to ft. to ft. to ft. to ft. to	o
6 GROUT Grout Inte What is the 1 Se 2 Se	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank ewer lines	: 1 Neat of no	From From cement .ft. to	ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy  8 Sewage lag	8 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n	14 Al	o
GROUT Grout Inte What is th 1 Se 2 Se	GRAVEL PAGE T MATERIAL rvals: From the nearest so t	: 1 Neat of no	From From cement .ft. to	ft. to  7 Pit privy	8 Bento ft.	ft., Frorft., Frorft.	n	14 Al	o
6 GROUT Grout Inte What is the 1 Se 2 Se	GRAVEL PAGE T MATERIAL rvals: From the nearest so t	: 1 Neat of no	From From cement .ft. to	ft. to ft.	8 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank the sewer lines atertight sew from well?	1 Neat of n	From From From  cement .ft. to	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se 2 Direction is	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From From  cement .ft. to	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank the sewer lines atertight sew from well?	1 Neat of n	From From From  cement .ft. to	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From From  cement .ft. to	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From From  cement .ft. to	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction t	T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well?	1 Neat of n	From From Cement It to Contamination: ral lines Spool Dage pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage lag  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other  ock pens storage zer storage icide storage by feet?	14 A	o
GROUT Grout Inte What is th 1 Se 2 Se Direction 1 FROM	T MATERIAL rvals: From se nearest so eptic tank ewer lines atertight sew from well?	CK INTERVALS:  1 Neat of m 3  Purce of possible 4 Later 5 Cess er lines 6 Seep	From From From From Cement Int. to Contamination: ral lines Spool Dage pit  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC	ft. to ft. fr. from ft., From	goon FROM	ft., Frorft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel s 12 Fertili: 13 Insect How mar	n	14 Al 15 O 16 O	o
GROUT Grout Inte What is th  1 Se 2 Se Direction 1 FROM	T MATERIAL rvals: From se nearest so eptic tank ewer lines atertight sew from well?  TO  43	I Neat of m	From From From From Cement It. to contamination: ral lines s pool Dage pit LITHOLOGIC C.	ft. to ft. ft. to ft.	goon  FROM  Vas (1) constru	ft., Fror ft., Fror ft., Fror ft., Fror nite 4 to	n	gged und	o
GROUT Grout Inte What is th  1 Se  2 Se  Direction t FROM	T MATERIAL rvals: From the nearest so eptic tank ewer lines attertight sew from well?  TO  43  RACTOR'S Con (mo/day/	In Neat of Seep A Sandy	From From Cement Int. to Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.	ft. to ft. ft. to ft.	goon  FROM  vas (1) constru	ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror nite 4 to	n	gged und	o
GROUTINE What is the second of	T MATERIAL rvals: From the nearest so explicit tank ewer lines attertight sew from well?  TO  43  RACTOR'S Con (mo/day/	I Neat of a new Sandy Sa	From From Cement Int. to Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.	ft. to ft. ft. to ft.	goon  FROM  vas (1) constru	tt., Fror ft., F	n	gged und	o
GROUT Grout Inte What is th  1 Se 2 Se Direction 1 FROM D  7 CONTE completed Water Wel under the	RACTOR'S Con (mo/day/ll Contractor's business nar	In Neat of Market Standard Sta	From From From Cement Int. to Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.	ft. to ft. ft. to ft.	goon  FROM  PROM  Vas Donstru  Vell Record wa	tt., Fror ft., F	n	gged und of my kne	o