

MW-14

WATER WELL RECORD Form WWC-5 KSA 82a-1212

OFFICE USE ONLY

T

R


E/W

SEC.

1/4

1/4

1/4

1 LOCATION OF WATER WELL: County: <b>RENO</b>		Fraction <b>NW 1/4 SW 1/4 SW 1/4</b>	Section Number <b>24</b>	Township Number <b>T 23 S</b>	Range Number <b>R 6</b> <b>(W)</b>				
Distance and direction from nearest town or city street address of well if located within city? <b>48 STATE STREET So. HUTCHINSON</b> <b>MW-14</b>									
2 WATER WELL OWNER: <b>FOOD BRANDS AMERICA INC</b> RR#, St. Address, Box #: <b>2601 NW EXPRESSWAY SUITE 1000W</b> City, State, ZIP Code: <b>OKLAHOMA CITY, OK 73112</b> Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <b>15</b> ft. ELEVATION: <b>1526.07</b> Depth(s) Groundwater Encountered 1. <b>7</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <b>7.49</b> ft. below land surface measured on mo/day/yr <b>9-27-95</b> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>8</b> in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <b>10 Monitoring well</b> Was a chemical/bacteriological sample submitted to Department? Yes No <b>X</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <b>X</b>							
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <b>2 PVC</b> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter <b>2</b> in. to ft. Dia in. to ft. Dia in. to ft. Casing height above land surface <b>FIUSH</b> in. weight <b>703</b> lbs./ft. Wall thickness or gauge No. <b>154</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <b>3 Mill slot</b> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>5</b> ft. to <b>15</b> ft. From ft. to ft. GRAVEL PACK INTERVALS: From <b>3</b> ft. to <b>15</b> ft. From ft. to ft. From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <b>3 Bentonite</b> 4 Other Grout Intervals: From <b>1</b> ft. to <b>3</b> ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <b>11 Fuel storage</b> 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) Direction from well? <b>NE</b> How many feet? <b>100</b>									
FROM		TO		LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0		5		CLAY. SAND					
5		15		SAND					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <b>(1)</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>9-27-95</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>531</b> This Water Well Record was completed on (mo/day/yr) <b>10-26-95</b> under the business name of <b>GSI</b> by (signature) <b>Math Wolf</b>									