MU	1-12		WATER	R WELL RECORD	Form WWC-5	KSA 82	2a-1212				
1 LOCAT	ON OF WAT	ER WELL:	Fraction		Sec	tion Numbe		mber	Range Nu	umber	
	RENC		NW 1/4	SW 1/4 SU	J 1/4	24	T 23	S	в 6	E	
Distance a	and direction	from nearest to	wn or city street ad	dress of well if located	within city?				·		
25	- So.	OF 2ND	AVE. 17	5' WEST	OF WA	LNUT	Sr		mw-	-12	
2 WATE	R WELL OW	NER: RUSSE	L DEWATER	2							
BR#. St.	Address. Box	# 221 E	AVE EAST	r			Board of A	ariculture. E	Division of Wate	r Besources	
	a, ZIP Code			, KS 6750	5		Application				
				OMPLETED WELL	15						
AN "X"	IN SECTION	BOX:	4 DEPTH OF CO		70	. tt. ELEV		· · · · · · · · · · · · · · · · · · ·			
_ r	N	·		water Encountered 1.							
Ŧ I				WATER LEVEL							
	NW	NE		test data: Well water							
	1		Est. Yield	gpm: Well water	was	ft.	after	hours put	mping	gpm	
•	i		Bore Hole Diame	ter 🖋 in. to .		ft.	, and	in.	to	ft.	
ΞΨ	I	1	WELL WATER TO		5 Public wate				Injection well		
7	I		1 Domestic	3 Feedlot	6 Oil field wat	ter supply	9 Dewatering	12	Other (Specify t	below)	
	- sw	SE	2 Irrigation				10 Monitoring well				
	^ ! I		, °	acteriological sample s				•		14	
ŧι				actenological sample s	ubmitted to De			-			
			mitted				Vater Well Disinfected		No		
		ASING USED:		5 Wrought iron					1Clamp		
1 S		3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify bel	ow)		ed		
2 P		4 ABS		7 Fiberglass					ded		
Blank cas	ing diameter	🚣	.in. to	ft., Dia	in. to		ft., Dia		in. to	ft.	
Casing he	eight above la	ind surface	-1.45H	in., weight	703	Ibs	s./ft. Wall thickness c	r gauge N	o		
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		G PV	c)	10 Asbe	estos-ceme	nt		
1 St	eel	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Othe	er (specify)			
2 B	ass	4 Galvani	zed steel	6 Concrete tile	9 AB			e used (op			
		RATION OPENIN			d wrapped	•	8 Saw cut	0 0000 (0p	11 None (ope		
	ontinuous slo		Aill slot	6 Wire v			9 Drilled holes		in None (ope		
	ouvered shutt		ey punched	5 7 Torch			10 Other (specify				
SCREEN	PERFORATE	ED INTERVALS:					rom				
			From	ft. to		ft., Fr	rom	ft. t	0	· · · · · · ft.	
	GRAVEL PA	CK INTERVALS	: From	<b>3</b> ft. to		ft., Fr	rom	ft. t	0	ft.	
_			From	ft. to		ft., Fr	rom	ft. t	0	ft.	
6 GROU	T MATERIAL	: 1 Neat	cement	2 Cement grout	3 Bento	nite	4 Other				
Grout Inte	rvals: Fro	n <b>/</b>	. ft. to 3	2 Cement grout	ft.	to	ft., From		ft. to		
What is the	ne nearest so	ource of possible					estock pens	14 A	bandoned water	r well	
1	eptic tank	4 Late		7 Pit privy					il well/Gas well		
	2 Sewer lines 5 Cess					11 Fuel storage					
						-		10 0	16 Other (specify below)		
1	•	er lines 6 See	• •	9 Feedyard			ecticide storage				
		So. WES			5001		nany feet? 200				
FROM		6 <b>.</b>		LOG	FROM	TO			NTERVALS		
0	3	SILT,	SAND							;	
3	15	SAND									
	1										
									-		
										¥	
7 001-					2	· · · · · · · · · · · · · · · · · · ·	I			· · · · ·	
7 CONT	HACTOR'S (		HS CERTIFICATIO	ON: This water well wa	as ((1) constru					(	
completed	on (mo/day	year) 9-26	513				cord is true to the be			lief. Kansas	
		- Lissan Mla	/		all Decord we	a annalata	1 to - the total 1	0-26	· 7.5		
Water We	Il Contractor			This Water W	ell Hecord wa					لا	
	business na			This Water W			a on (mo/day/yr)	War	Ľ	4	
under the	<b>business na</b> JCTIONS: Use ty	pewriter or ball point	pen. <u>PLEASE PRESS FI</u>	IRMLY and <u>PRINT</u> clearly. Ple	ase fill in blanks,	by (sigr	nature) Moto	- Wal	copies to Kansas De		
under the	<b>business na</b> JCTIONS: Use ty	pewriter or ball point	pen. <u>PLEASE PRESS FI</u>		ase fill in blanks,	by (sigr	nature) Moto	- Wal	copies to Kansas De		

