1			WATE	R WELL RECORD	Form WWC-5	KSA 82	a-1212		
1 LOCATI	ON OF WA	TER WELL:	Fraction			tion Number		Range Number	
County:	Reno			NE 14 S		/4	т 23 s	R 6 E	
Distance and direction from nearest town or city street address of well if located within city?									
305 S. Monroe, Hutchinson, KS.									
2 WATER WELL OWNERDavid Weast/Krause Plow Corp.									
RR#, St. A	RR#, St. Address, Box # 305 S. Monroe Board of Agriculture, Division of Water Resources								
City, State	, ZIP Code	Hutchi	nson, Ks.		· 11 11		Application Number:		
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL.	176	ft. ELEV	Application Number:		
Depth(s) Groundwater Encountered 1. 10									
WELL'S STATIC WATER LEVEL 12.13 ft. below land surface measured on mo/day/yr 5-22-46									
	 	l l	Pum	p test data: Well wa	ater was	ft. a	after hours p	umping gpm	
-	Est. Yield gpm: Well water was ft. after hours pumping gpm								
	Bore Hole Diameter 8/5 in to 17 μ ft. and in to ft.								
₹ w }	W I I E WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
-	1	1	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	Dewatering 12	Other (Specify below)	
-	- SW	SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	Monitoring well,	j	
II I	-		Was a chemical	bacteriological sample				s, mo/day/yr_sample was sub-	
I	-	5	mitted	,		-	ater Well Disinfected? Yes	No	
5 TYPE C	OF BLANK (	CASING USED:		5 Wrought iron	8 Concre			ed Clamped	
」 1 Ste	eel	3 RMP (S	R)	6 Asbestos-Cemen		(specify belo		ded	
2 PV	/d	4 ABS	,	7 Fiberglass			Thre	eadedX	
Blank casing diameter 2.375 in. to 7 ft., Dia in. to ft., Dia in. to SDR 13. ft.									
							/ft. Wall thickness or gauge I		
1		R PERFORATIO		, <b>.</b>	Z PV		10 Asbestos-cem		
1 Ste		3 Stainles		5 Fiberglass		IP (SR)		n)	
2 Br		4 Galvaniz		6 Concrete tile	9 AB		12 None used (o	·	
		RATION OPENIN			uzed wrapped	•	8 Saw cut	11 None (open hole)	
							9 Drilled holes	Trans (open nois)	
A Kou awahad									
SCREEN-PERFORATED INTERVALS: From									
From # to # From # to #									
From									
`	annie i n	OIL HATELTANEO.	From	ft. to		ft., Fro		to ft.	
Grout Intervals: From									
Grout Intervals: From									
1 Se	ptic tank	4 Later	ral lines	7 Pit privy			storage FOLULY > 15 (	Oil well/Gas well	
	wer lines	5 Cess		8 Sewage la		15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)			
		er lines 6 Seep	-	9 Feedyard 13 Insecticide storage				Other (specify below)	
		South	ouge pii	o i ccayara			any feet? /25		
FROM	TO	Decen-	LITHOLOGIC	LOG	FROM	TO		INTERVALS .	
0	.50	Concrete						INTERVALS	
.50	4			t, moist,					
				fine grain	Eren bor		ALA RATERIO F		
Λ	6.50	Mod-1+ 1	, SOIL W/	silt to sa	led sand.				
<b>-</b>	_0.50					7			
			no odor, riable.	trace of ca	ilicne,				
6 50	10 50								
0.50	10.50	rine gra	alned san	d, dry, no	odor,				
10 50	1716		unded 7 s						
10.50	17'6			sand & gra					
				poorly sort	ed,			·· · · · · · · · · · · · · · · ·	
		wet, no	odor.				11. PV/		
								<u> </u>	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year)									
1						-	on (mo/day/yr) S. A.	2-7Q	
under the	business na	me of JB En	<u>vironmen</u>	<u>tal Drillin</u>	ıg	by (signa	ature) ( ames D	IKO	
INSTRU	CTIONS: Use ty	pewriter or ball point	pen. PLEASE PRESS	FIRMLY and PRINT clearly.	Please fill in blanks,	underline or circl	e the correct answers. Send top three	e copies to Kansas Department	
or Healt	ii anu Environm	ent, bureau of water,	Topeka, Kansas 666	:u-wui. reiepnone: 913-296	u-uo4o. Sena one to	WATER WELL O	WNER and retain one for your record	18.	