			WELL RECORD	Form WWC-5	KSA 82a-				
LOCATION OF WAT		Fraction			ion Number	Township Nu	1	Range N	_
county: Reno			NW 14 NE		/	T <b>2</b> 3	S	R 6	E(V)
istance and direction			lress of well if located						
	2/2	= 283	in Hute	hinsen					
WATER WELL OW		in Ruel							
RR#, St. Address, Box		2815				Board of Ag	riculture, D	ivision of Wate	er Resources
City, State, ZIP Code		4, K5	67502			Application			
	OCATION WITH	DEBTH OF CO	MPLETED WELL						
AN "X" IN SECTION	I DOV.		ater Encountered 1.						
. —		. , ,							
i			VATER LEVEL /.6						
NW	X- NE		test data: Well water						
			gpm: Well water						
• w   - !	₽O	ore Hole Diamete	er 🛭in. to.	43					
* w   -	ı l'Wi	ELL WATER TO		5 Public water		8 Air conditioning			
sw		1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 (	Other (Specify	below)
544	32	2 Irrigation	4 Industrial	Lawn and g	arden only 1	0 Monitoring well	,		
	l l wa	as a chemical/ba	cteriological sample s	ubmitted to De	epartment? Ye	sNo	L; If yes,	mo/day/yr san	nple was sub
	mi	tted			Wat	er Well Disinfected	? Yes	√ No	•
TYPE OF BLANK (	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOI	NTS: Glued	. Clam	ped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		specify below			ed	•
@PVC	4 ABS					,		ded	
Blank casing diameter									
Casing height above la									
			n., weight 🟕 🚣	_					
TYPE OF SCREEN O	_			<b>O</b> PVO			estos-ceme		
1 Steel	3 Stainless st		5 Fiberglass		P (SR)				
2 Brass	4 Galvanized	steel	6 Concrete tile	9 ABS	S	12 Non	e used (op	en hole)	
SCREEN OR PERFO	RATION OPENINGS	S ARE:	5 Gauze	ed wrapped		<b>B</b> Saw cut		11 None (op	en hole)
1 Continuous slo	ot 3 Mill s	slot	6 Wire v	vrapped		9 Drilled holes			
2 Louvered shut	ter 4 Key	punched	7 Torch	cut		10 Other (specify	)		
OODEEN DECESS:-	ED INTEDVALO:	From	7			_	4 4	1	4
SCREEN-PERFORAT	ED INTERVALS:	1 10111	<b>3</b> . <b></b> ft. to	7. 9	π., Fror	n	, 11. 10		
SCHEEN-PERFORAT	ED INTERVALS.		≶ . <i>•</i> ft. to ft. to						
	CK INTERVALS:	From			ft., Fror	n	ft. to	)	ft.
		From	ft. to	43	ft., Fror	n	ft. to	)	ft.
GRAVEL PA	CK INTERVALS:	From	2 ft. to	43	ft., Fror ft., Fror ft., Fror	n	ft. to	)	
GRAVEL PA	CK INTERVALS:	From	2	4.3 Bento	ft., Fron ft., Fron ft., Fron nite 4	n	ft. to	)	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro	CK INTERVALS:	From 2 2 From nent 2	2	4.3 Bento	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to	ft. to	ftft. ft.
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so	CK INTERVALS:  1 Neat cer  1. 1 Neat cer  1. 2 ft.  1. 2 ft.	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From	4.3 Bento	ft., Frorft., Frorft., Fror nite 4 to	nn n Other tt., From ock pens	ft. to	ft. to oandoned water	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank	CK INTERVALS:  1 Neat cem  2 ft.  burce of possible con  4 Lateral I	From	the control of the co	<b>⊘</b> Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. to ft. to ft. to ft. to ft. to ft. to	oft. toopandoned wate	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines	CK INTERVALS:  1 Neat cer  2 ft. burce of possible cor  4 Lateral I  5 Cess po	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago	<b>⊘</b> Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft. to ft. to ft. to ft. to ft. to	ft. to oandoned water	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines Watertight sev	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage	From	the control of the co	<b>⊘</b> Bento ft.	ft., Frorft., Frorft., Fror nite 4 to	n	ft. to ft. to ft. to ft. to ft. to ft. to	oft. toopandoned wate	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines Watertight sew Direction from well?	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sev  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  1 Lateral I  2 Cess power lines 6 Seepage	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	<b>⊘</b> Bento ft.	ft., Frorft., Frorft., Fror nite 4 to	Other	14 Al 15 O	oft. toopandoned wate	
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sev  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  1 Neat cerr  1 Neat cerr  1 Lateral I  2 Cess power lines 6 Seepage	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	ft
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL  Grout Intervals: Fro  What is the nearest so  1 Septic tank  2 Sewer lines  3 Watertight sew  Direction from well?  FROM TO	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible cor  4 Lateral I  5 Cess power lines 6 Seepage  S  Br C/ag	From	tt. to  ft. to  ft. to  ft. to  Cement grout  ft., From  7 Pit privy  8 Sewage lago  9 Feedyard	Bento ft.	ft., Fror ft., Fror nite 4 to	Other	14 Al 15 O	ft. to	
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 /4/ /// 4/3	CK INTERVALS:  1 Neat cerr  2 ft.  5 Cess power lines 6 Seepage  8 C/ag  Sandy	From	Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard	Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	n Other Othe	14 Al 15 O 16 O	ft. to pandoned wate il well/Gas wel ther (specify b	
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 / 4/3  7 CONTRACTOR'S	CK INTERVALS:  1 Neat cerr  2 ft.  burce of possible con 4 Lateral I 5 Cess power lines 6 Seepage  S  Br C/ag  Sandy  OR LANDOWNER'S	From	Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  OG	Bento ft.	ft., Fror ft., Fror ft., Fror ft., Fror nite 4 to	n Other Othe	14 Al 15 O 16 O	ft. to	tion and wa
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 / // / // 4/3  TO CONTRACTOR'S completed on (mo/day)	CK INTERVALS:  1 Neat cerr 2 ft.  burce of possible corr 4 Lateral I 5 Cess power lines 6 Seepage  Sandy  OR LANDOWNER'S	From From 2 2 to 2 2 namination: lines cool e pit  LITHOLOGIC L  GEAUE  GENTIFICATIO  13 - 97	Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  OG	Bento ft.	tt., Fror ft., F	n Other Othe	14 All 15 O 16 O UGGING II	off. to  pandoned water if well/Gas well ther (specify b	tion and wa
GRAVEL PA  GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 /4/ /// 4/3	CK INTERVALS:  1 Neat cerr 2 ft. curce of possible cor 4 Lateral I 5 Cess power lines 6 Seepage  Sandy  OR LANDOWNER'S Clay Sandy  OR LANDOWNER'S Clay Sandy	From From 2 2 to 2 2 namination: lines cool e pit  LITHOLOGIC L  GEAUE  GENTIFICATIO  13 - 97	Cement grout  7 Pit privy 8 Sewage lago 9 Feedyard  OG  ON: This water well was a control of the	Bento ft.	tt., Fror ft., F	n	14 All 15 O 16 O UGGING II	off. to  pandoned water if well/Gas well ther (specify b	ftft  ftft  ftft  er well  li  elow)  tion and wa