

1 LOCATION OF WATER WELL: County: Reno		Fraction SW 1/4 SE 1/4 SE 1/4		Section Number 10		Township Number T 23 S		Range Number R 6 E	
Distance and direction from nearest town or city, street address of well if located within city? 1528 W. 4th, Hutchinson									
2 WATER WELL OWNER: Phillip Crow RR#, St. Address, Box #: 1528 W. 4th City, State, ZIP Code: Hutchinson, KS 67501 Board of Agriculture, Division of Water Resources Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 40 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. 13 ft. 2. 13 ft. 3. 5-28-97 ft. WELL'S STATIC WATER LEVEL 13 ft. below land surface measured on mo/day/yr Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter 9 in. to 40 ft., and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes _____ No X ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes X No _____						
			5 TYPE OF BLANK CASING USED:						
			1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped _____ 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ Blank casing diameter 5 in. to 30 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft. Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or gauge No. 214 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____ 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 40 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 30 ft. to 40 ft., From _____ ft. to _____ ft. From 40 ft. to 18 ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 40 ft. to 18 ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.						
			6 GROUT MATERIAL:						
1 Neat cement 2 Cement grout 3 Bentonite 4 Other Hole plug Grout Intervals: From 18 ft. to 0 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? South How many feet? 420									
LITHOLOGIC LOG					PLUGGING INTERVALS				
FROM	TO				FROM	TO			
0	3	Sandy top soil							
3	12	clay							
12	14	clay + sand							
14	22	sand + gravel							
22	23	clay							
23	40	sand + gravel							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-28-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 6-24-97 under the business name of Rosenkrantz-Bemis Ent. Inc. by (signature) Alicia Coffey									