	WATER WELL REC	ORD Form WW	C-5 KSA 82	a-1212 ID	No					
1 LOCATION OF WATER WELL:				Section Numbe	r Township Nu	mber	Ran	ge Num	ber	
County: Reno	SW 1/4	NE 14 NE	= 1/4	11	<u> </u>	s	R	6	E/ (4)	
Distance and direction from neares	it town or city street a	address of well if loca	ated within city?)						
	604	W 13 5	in Hur	Ehinson						
2 WATER WELL OWNER:	Kule W	lilliams								
RR#, St. Address, Box # : City, State, ZIP Code :	St. Address, Box # : 604 W 13 15				Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION W			40	ft. ELEV	ATION:					
AN "X" IN SECTION BOX:	Depth(s) Grour WELL'S STATION	ndwater Encountered C WATER LEVEL	/.ಎ ft. b	elow land surfa	ft. 2ace measured on mo	کر day/yr	P-/7:	-04		
NW NEX -	Est. Yield	gpm: Well v	water was	ft	after	hours pu	ımping		gpm gpm	
	1 Domestic E 2 Irrigation	TO BE USED AS: 3 Feedlot 4 Industrial	6 Oil field wa	, , ,	8 Air conditioning 9 Dewatering 10 Monitoring well	12 Ot	jection well ther (Speci	ify belov	•	
SW SE	Was a chemica mitted	ul/bacteriological sam	nple submitted t		Yes No Water Well Disinfected		o/day/yrs s	sample v No	was sub-	
5 TYPE OF BLANK CASING US 1 Steel 3 RMF	5 Wrought iron 6 Asbestos-Cemer	Wrought iron 8 Concrete tile Asbestos-Cement 9 Other (specify bel		CASING JOINTS: Glued Clamped Welded						
PVC 4 ABS	7 Fiberglass	Fiberglass				ided				
Blank casing diameter5										
Casing height above land surface .		in., weight	· · · -							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass				##PVC 10 Asbestos-Cement 8 RMP (SR) 11 Other (Specify)						
. 0.00.	anized Steel	6 Concrete tile		ABS		e used (ope				
SCREEN OR PERFORATION OPENINGS ARE: 5 Guaze 1 Continuous slot 3 Mill slot 6 Wire w				d wrapped 8 Saw cut rapped 9 Drilled hole			11 None (open hole)			
	4 Key punched		orch cut		10 Other (specify)			ft.	
SCREEN-PERFORATED INTERVA	ALS: From	30 ft. to	40	ft., Fro	m	ft. to			ft.	
	From	ft. to		ft., Fro	m	ft. to .			ft.	
GRAVEL PACK INTERV	ALS: From	<i>ملا.ها</i> ft. to	X	ft., Fro	ກກ ກ	ft. to .			ft. f t	
	1 10/11			11., 1 10		11. 10 .	• • • • • • • • • • • • • • • • • • • •			
6 GROUT MATERIAL: 1	Neat cement	2 Cement grout	Ø B€	entonite	4 Other					
Grout Intervals: From	ft. to2	🕰 ft., From	f	. to	ft., From		ft. to		ft.	
What is the nearest source of poss	ible contamination:			10 Live	stock pens	14 At	bandoned v	water w	ell	
· ·	_ateral lines	7 Pit p	rivy	11 Fue	l storage 15		Oil well/Gas well			
2 Sewer lines 5 Cess pool		8 Sewa	= = =		_		Other (specify below)			
		9 Feed	-					•••••		
Direction from well?				How ma	any feet? 20			*****		
FROM TO	LITHOLOGIC	LOG	FROM	то	PLU	GGING INT	TERVALS			
0 5 Sano	Py Br Sil	4								
5 43 Sand	Ex Crave,	/								
									*	
							-1) (= =			
			RECEIVED							
						OCT 2 6 2004				
					BUREAU OF WATER					
7										
7 CONTRACTOR'S OR LANDOW completed on (mo/day/year)	8-17-09	This W		and this rd was comple	record is true to the be ted on (mo/day/yr)	st of my kno	owledge an	nd belief.	. Kansas	
under the business name of	miller Dri	lling		by	(signature)	rille	1			